

Model 205

- Service A**
- Service B**
- Plus package
- For every service (equipment specific)
- Once at 2,000 mi
- Every 12,500 mi/2 years
- Service 3 every service
- Service 4 Every 2 years
- Service 8 every 30,000 mi/3 years
- Service 8 every 50,000 mi/5 years
- Service 10 every 30,000 mi/3 years
- Service 11 every 50,000 mi/5 years
- Service 11 every 120,000 mi/12 years
- Service 12 every 50,000 mi/5 years
- Service 13 every 120,000 mi/12 years
- Service 15 At every Service B
- Service 20 once at 30,000 mi / 3 years
- Service 20 every 60,000 mi/6 years
- Service 20 every 60.000 mi



P00.20-2760-11

Customer.....

Order number.....

VIN/license plate number.....

Current mileage.....

Service code.....

Workshop code.....

Remaining distance.....

Remaining time.....

Oil type/viscosity.....

Completion time/date.....

Service consultation performed at vehicle

Yes No

Notes/explanations.....

The following activities are hereby confirmed:
 - Completion of relevant service operations

Signature.....

A	B	Input condition not OK:	<input checked="" type="checkbox"/>
Completed			
<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>		
↓	↓		↓
Service reception			

<input type="checkbox"/>	<input type="checkbox"/>	The reception report for service on the vehicle is available in completely edited form	----- ○	AP00.20-P-0009Z
		i To be performed by the Service Advisor (where market-specific conditions require). The service scope is only completely performed when all acceptance items and the maintenance items listed in the service sheet have been fully processed.		
	<input type="checkbox"/>	Brake system Perform brake test and enter the result in the table	----- ○	AP42.00-P-4290BA
	<input type="checkbox"/>	Vehicle exterior Check exterior lights for proper operation	----- ○	AP82.10-P-8252EW
	<input type="checkbox"/>	Check operation of headlamp range adjustment	----- ○	
		Vehicles with dynamic LED headlamps or headlamp range controller on the exterior lights switch		AP82.10-P-8250EW
	<input type="checkbox"/>	Check/correct headlamp adjustment	----- ○	AP82.10-P-8260E
		i On vehicles equipped with level control or dynamic LED headlamps, adjustment of the headlamps is to be invoiced as an additional operation.		
<input type="checkbox"/>	<input type="checkbox"/>	Check charging cable and vehicle socket for mechanical damage	----- ○	AP54.10-P-5458B
		Model 205.047/147/247		
	<input type="checkbox"/>	Vehicle interior Check function of windshield wipers and windshield washer system	----- ○	AP82.30-P-8252CAA
<input type="checkbox"/>	<input type="checkbox"/>	Check starter	----- ○	AP15.30-P-1550AA
		Model 205.012/047/147/212/247		
	<input type="checkbox"/>	Replace activated charcoal dust filter	----- ○	AP83.00-P-8384CAA
<input type="checkbox"/>	<input type="checkbox"/>	Engine compartment Brake system: Check fluid level	----- ○	AP42.10-P-4210CAA
<input type="checkbox"/>	<input type="checkbox"/>	Check engine compartment air flap	----- ○	AP20.00-P-2052B
		Engine 177		
<input type="checkbox"/>		Check low-temperature circuit coolant level	----- ○	AP20.30-P-2052F
		Engine 177		
		Engine 274, 276, 651		AP20.30-P-2052A
<input type="checkbox"/>		Check high-voltage battery circuit coolant level	----- ○	AP20.30-P-2053A
		Model 205.047/147/247		
<input type="checkbox"/>		Check all visible parts in engine compartment for damage and leaks	----- ○	AP00.20-P-0055C
<input type="checkbox"/>		Check visible area of poly-V belt for wear	----- ○	AP13.22-P-1352D
		Engine 177		
		Engine 274 except in model 205.047/147/247, engine 276, 626, 651		AP13.22-P-1352CW
<input type="checkbox"/>		Underside of vehicle Check all visible parts of vehicle underside for damage and leaks	----- ○	AP00.20-P-0054E
		i The country-specific regulations for mobility and body shell complaints apply.		

<input type="checkbox"/>		Check condition of steering and tie rods -----	<input type="radio"/>	
				AP46.00-P-4651A
<input type="checkbox"/>		Check condition of front axle and front axle ball joints -----	<input type="radio"/>	
				AP33.10-P-3358A
<input type="checkbox"/>		Check condition of propeller shaft and flex disks -----	<input type="radio"/>	
				AP41.10-P-4152EW
<input type="checkbox"/>		Check condition of rear axle and rear axle ball joints -----	<input type="radio"/>	
				AP35.20-P-3552A
<input type="checkbox"/>		Check condition of suspension struts or shock absorbers and springs -----	<input type="radio"/>	
				AP32.25-P-3255A
<input type="checkbox"/>		Check tires for damage and crack formation, and enter result in table -----	<input type="radio"/>	
				AP40.10-P-4051EW
Tires				
Plus package				
<input type="checkbox"/>	<input type="checkbox"/>	Correct tire pressure and enter set tire pressure in table -----	<input type="radio"/>	
				AP40.15-P-4061A
Trunk				
Plus package				
<input type="checkbox"/>	<input type="checkbox"/>	Check/correct spare wheel tire pressure and enter set tire pressure in table ----- Vehicles with spare tire	<input type="radio"/>	
				AP40.15-P-4061A
<input type="checkbox"/>	<input type="checkbox"/>	Check TIREFIT tire sealant ----- Vehicles fitted with TIREFIT	<input type="radio"/>	
				AP40.10-P-4054R
		<input style="font-size: small; border: 1px solid black; padding: 2px; display: inline-block; vertical-align: middle; margin-right: 5px;" type="i"/> Enter TIREFIT expiration date here: _____		
		<input style="font-size: small; border: 1px solid black; padding: 2px; display: inline-block; vertical-align: middle; margin-right: 5px;" type="i"/> Replace TIREFIT, invoice as additional operation.		
<input type="checkbox"/>	<input type="checkbox"/>	Check first aid bag -----	<input type="radio"/>	
				AP68.00-P-6850EW
		<input style="font-size: small; border: 1px solid black; padding: 2px; display: inline-block; vertical-align: middle; margin-right: 5px;" type="i"/> Enter first aid bag expiration date here: _____		
		<input style="font-size: small; border: 1px solid black; padding: 2px; display: inline-block; vertical-align: middle; margin-right: 5px;" type="i"/> Replace first aid bag, invoice as an additional operation.		
<input type="checkbox"/>	<input type="checkbox"/>	Check trunk illumination for proper operation -----	<input type="radio"/>	
Engine compartment				
Plus package				
<input type="checkbox"/>	<input type="checkbox"/>	Windshield washer system: Check/correct fluid level -----		
				AP82.35-P-8210CAA
		<input style="font-size: small; border: 1px solid black; padding: 2px; display: inline-block; vertical-align: middle; margin-right: 5px;" type="i"/> Use summer/winter cleaner as well as its mixing ratio to match the given ambient temperature.		
Vehicle interior				
Plus package				
<input type="checkbox"/>	<input type="checkbox"/>	Check lamps in the instrument cluster and interior illumination for proper operation -----	<input type="radio"/>	
				AP54.30-P-5453CAA
Vehicle interior				
For every service (equipment specific)				
<input type="checkbox"/>	<input type="checkbox"/>	Check ex-factory driving aids ----- Vehicles with ex-factory driving aids	<input type="radio"/>	
				AP86.20-P-8649U
<input type="checkbox"/>	<input type="checkbox"/>	Fill up or replace vial of perfume atomizer ----- After consultation with customer		

<input type="checkbox"/>	<input type="checkbox"/>		With CODE P21 (Air quality package)	AP83.10-P-0100A
<input type="checkbox"/>	<input type="checkbox"/>	Replace battery for KEYLESS-GO key	----- After consultation with customer With code 889 (KEYLESS-GO) or with code 893 (KEYLESS-GO start function)	
<input type="checkbox"/>	<input type="checkbox"/>	External refueling For every service (equipment specific) AdBlue® tank: Fill up fluid level	----- After consultation with customer With code U42 (BlueTEC (SCR) diesel exhaust treatment) or with code U77 (BLUETEC (SCR) diesel exhaust treatment) or with CODE U79 (BLUETEC (SCR) Generation 3 diesel exhaust treatment)	AP14.40-P-1410BT
<input type="checkbox"/>	<input type="checkbox"/>	Underside of vehicle Once at 2,000 mi Rear axle: Perform oil change	----- With code 471 (Mechanical locking differential) or with code P30 (AMG Performance Package) and with code 467 (Electronic locking differential)	AP35.00-P-3501CMG
<input type="checkbox"/>	<input type="checkbox"/>	Engine compartment Every 12,500 mi/2 years Replace dust filter	-----	AP83.00-P-8381B
<input type="checkbox"/>	<input type="checkbox"/>	Engine compartment Service 3 every service Engine: Change oil and oil filter	----- Engine 177 Engine 274.910, engine 274.920 except code M005 (4MATIC) Engine 274.920 with code M005 (4MATIC) Engine 276 Engine 626 Engine 651	AP18.00-P-0101D AP18.00-P-0101CWI AP18.00-P-0101CWE AP18.00-P-0101CWZ AP18.00-P-0101B AP18.00-P-0101CWB
<input type="checkbox"/>	<input type="checkbox"/>	Engine compartment Service 4 Every 2 years Brake system: Replace brake fluid	-----	AP42.00-P-4280EW
<input type="checkbox"/>	<input type="checkbox"/>	Engine compartment Service 8 every 30,000 mi/3 years Replace air filter element	----- Engine 177	AP09.10-P-0980I
<input type="checkbox"/>	<input type="checkbox"/>	Underside of vehicle Service 8 every 30,000 mi/3 years Rear axle: Perform oil change	----- With code 471 (Mechanical locking differential) or with code P30 (AMG Performance Package) and with code 467 (Electronic locking differential)	AP35.00-P-3501CMG
<input type="checkbox"/>	<input type="checkbox"/>	Engine compartment Service 8 every 50,000 mi/5 years Replace air filter element	----- Engine 274 Engine 276 Engine 626 Engine 651	AP09.10-P-0980CWG AP09.10-P-0980E AP09.10-P-0980F AP09.10-P-0980EWD

<input type="checkbox"/>	<input type="checkbox"/>	Vehicle interior Service 10 every 30,000 mi/3 years Panoramic sliding sunroof: Clean and lubricate guide mechanism With code 413 (Panoramic sliding sunroof)	AP77.20-P-7732CW
<input type="checkbox"/>	<input type="checkbox"/>	Engine compartment Service 11 every 50,000 mi/5 years Replace fuel filter Engine 651	AP47.20-P-0780EWD
<input type="checkbox"/>	<input type="checkbox"/>	Underside of vehicle Service 11 every 50,000 mi/5 years Replace fuel filter Engine 626	AP47.20-P-0780A
<input type="checkbox"/>	<input type="checkbox"/>	Vehicle interior Service 11 every 120,000 mi/12 years Replace fuel filter Engine 177, 274, 276	AP47.20-P-0780EW
<input type="checkbox"/>	<input type="checkbox"/>	Engine compartment Service 12 every 50,000 mi/5 years Replace spark plugs Engine 177 Engine 274 Engine 276	AP15.10-P-1580C AP15.10-P-1580CWF AP15.10-P-1580D
<input type="checkbox"/>	<input type="checkbox"/>	Underside of vehicle Service 13 every 120,000 mi/12 years Replace main circuit coolant Engine 177, 274, 276, 626, 651	AP20.00-P-2080CAA
<input type="checkbox"/>	<input type="checkbox"/>	Replace low-temperature circuit coolant Engine 177 Engine 274, 276, 651	AP20.00-P-2083C AR09.41-P-6834LW
	<input type="checkbox"/>	Vehicle exterior Service 15 At every Service B Trailer hitch: Check condition and operation With code 550 (Trailer hitch)	AP31.11-P-3152CW
<input type="checkbox"/>	<input type="checkbox"/>	Underside of vehicle Service 20 once at 30,000 mi / 3 years Automatic transmission: Change/replace oil and oil filter Transmission 722.930	AP27.00-P-2702W
<input type="checkbox"/>	<input type="checkbox"/>	Underside of vehicle Service 20 every 60,000 mi/6 years Automatic transmission: Change oil and oil filter Transmission 722.9 except 722.930 Transmission 724.2 Transmission 725.0 except code M005 (4MATIC) up to code 806 (Model year 2016)	AP27.00-P-2702W AP27.00-P-2702A AP27.00-P-2702B
<input type="checkbox"/>	<input type="checkbox"/>	Automatic transmission and transfer case: Perform oil and automatic transmission filter change Transmission 725.0 with code M005 (4MATIC) up to code 806 (Model year 2016)	AP27.00-P-2702B
<input type="checkbox"/>	<input type="checkbox"/>	Underside of vehicle Service 20 every 60,000 mi Automatic transmission: Change oil and oil filter Transmission 725.0 except code M005 (4MATIC) as of code 807 (Model year 2017)	AP27.00-P-2702B
<input type="checkbox"/>	<input type="checkbox"/>	Automatic transmission and transfer case: Perform oil and automatic transmission filter change	

Brake values

	Left	Right
Front		
Rear		
Parking brake		

Tire condition

	Right front	Left front	Right rear	Left rear
Condition OK.				
Condition not OK.				

Set tire pressure in bar or psi

	Front axle	Rear axle	Spare wheel
bar/psi			