

Datacard

Identification number: WDD2040412A042072 3

Chassis

Sales designation: C 200 KOMPRESSOR

Order number: 0 7 839 18137

Delivery date: 09 07 2007

Paint code 1: 650U CALCITE WHITE - STANDARD FINISH

Equipment: 701A LEATHER COMBINATION - BLACK/ANTHRACITE

Engine no.: 271950 30 942823

Transmission: 722695 07 024604

Engine

Engine no.: 271950 30 942823

Major assembly variant: A 271 010 99 45

Part var. design.: 27195030

Text

FUER DIESES FAHRZEUG KANN ALTERNATIV DER RUMPFMOTOR A271010574680 GELIEFERT
WERDEN

FOR THIS VEHICLE THE BASIC ENGINE A271010574680 CAN BE SUPPLIED ALTERNATIVE
LY

SA code

213 SPEED-SENSITIVE POWER STEERING/VARIO STEERING

249	INSIDE AND OUTSIDE MIRROR AUTOMATIC DIMMING
263	LICENSE PLATE ATTACHMENT ASIA / MEXICO
280	LEATHER STEERING WHEEL AND LEATHER GEAR SHIFT KNOB
282B	AIRBAGLABLE - JAPAN/ENGLISH
293	SIDEBAG IN REAR LEFT AND RIGHT
299	PRESAFE
301	ASHTRAY PACKAGE
310	DUAL CUP HOLDER
319B	HEAD UNIT LANGUAGE - JAPANESE KANJI
349B	INSTRUMENT CLUSTER/HU LANGUAGE - JAPANESE KANJI
423	5-SPEED AUTOMATIC TRANSMISSION
440	TEMPOMAT (CRUISE CONTROL)
442	MULTIFUNCTION STEERING WHEEL (12 BUTTONS)
477	TIRE PRESSURE LOSS WARNER
498	JAPAN VERSION
500	OUTSIDE REAR VIEW MIRROR LH AND RH FOLDING
524	VEHICLE PROTECTIVE COVER (FULL BODY COVER)
527	COMAND DVD APS WITH NAVIGATION
580	AIR CONDITIONER
584	ELECTRIC WINDOW REGULATOR
600	HEADLAMPS - CLEANING EQUIPMENT
616	BI-XENON HEADLIGHT W.ACTVIE CURVELIGHT LEFT-DRIVE
619	CORNERING ILLUMINATION
650U	CALCITE WHITE - STANDARD FINISH
668	PRODUCT PROT.F.TRANSPORT VEH. W/ TIE-DOWN HOOKS
690	EMERGENCY SPARE TIRE (MINI SPARE)
700A	LEATHER COMBINATION
701A	LEATHER COMBINATION - BLACK/ANTHRACITE
732	CENTER CONSOLE IN CARBON GLOSSY AMG
761	RADIO RC W. REDUCED RANGE W/O PANIC (315 MHZ)
808	204___ - 20050721 - AEJ 07/1
808	722.6__ - 19960119 - YOM 17/1
839L	JAPAN
8XXL	ASIA
910	DYNAMO WITH HIGHER CAPACITY (FFO)
919	AIRCON COOLING POWER PACKAGE
954	EQUIPMENT PACKAGE FOR AVANTGARDE VEHICLES

F204	MODEL SERIES 204
FW	LIMOUSINE
GA	AUTOMATIC TRANSMISSION
HA	REAR AXLE
K15	CONTROL CODE FOR SERVICE INTERVAL 15000 KM
M019	SERVICE REPOSITIONED
M18	DISPLACEMENT 1.8 LITER
M271	R4-GASOLINE ENGINE M271
R	RIGHT-HAND STEERING
R01	SUMMER TIRES
R48	17" LIGHT ALLOY WHEEL 5 DBL-SPOKE DESIGN ALL-ROUND
U37	FOGLAMP
U72	DVD PLAYER WITH REGIONAL CODE 2, EUROPE, JAPAN
V50	SPEED + LOAD INDEX 91W
VL	FRONT AXLE HALF, LEFT
VR	FRONT AXLE HALF, RIGHT

Springs

Front suspension strut: A 204 320 04 13 ,

Front spring: A 204 321 04 04 ,

Rear spring: A 204 324 03 04 ,

Rear shim: A 210 325 02 84 ,