


Werkstattinformationssystem Display Document

Sales designation: **CL 600** Vehicle ident. number: **WDB215376*** Engine number: **275.950** Automatic transmission: **722649** Gr.: **00.19** Entrv.: Mod.Y.: Op. no.:


PE54.21-U-2103-99CA **Wiring diagram rear signal acquisition and actuation module (SAM) control** Full-size view validity OFF Page: **1 / 2**



Legend selection

- B33** ATA [EDW] inclination sensor
- B4** Fuel gage sensor
- E18/1** Trunk lamp
- E19/1** Left license plate lamp
- E19/2** Right license plate lamp
- E21** Center high-mounted stop lamp
- E3** Left taillamp
- E3e1** Left turn signal lamp
- E3e2** Left taillamp and parking lamp


Item:



Legend selection

E3e3	Left backup lamp
E3e4	Left stop lamp
E3e5	Left rear fog lamp
E3e8	Left taillamp (additional)
E4	Right taillamp
E40	Trunk lid ambient lamp
E4e1	Right turn signal lamp
E4e2	Right taillamp and parking lamp
E4e3	Right backup lamp
E4e4	Right stop lamp
E4e5	Right rear fog lamp
E4e8	Right taillamp (additional)
K40/5	Rear fuse and relay module
N10/8	Rear SAM control


Item:



Legend selection


- N10/8 Rear SAM control module
- N47-5 ESP, SPS and BAS [ESP, PML and BAS] control module
- N70 Overhead control panel control module
- S10/4 Right rear brake pad contact sensor
- S10/4x1 Right rear brake pad contact sensor connector
- S17/3 Left door contact switch
- S17/4 Right door contact switch
- S88/3 Trunk lid power locking locking eye microswitch
- W17/1 Ground (left rear seat)**

Item:



- Legend selection**
- W28/1 Ground (left inner door sill)
 - W28/2 Ground (right inner door sill)
 - W50 Ground shielding, right star connector
 - W50/2 Ground shielding, CAN and rear SAM
 - W7/1 Ground (right taillamp in trunk)
 - X20/1 Center high-mounted stop lamp connector
 - X25/8 Overhead control panel and FFS [RBA] connector
 - X30/4 Right voltage distributor (CAN) connector

Item:



- Legend selection**
- (CAN) connector
 - X8/4 Trunk lid separation point
 - Z20 Shielding placed inside insulated tubing
 - Z20/20 Cable end not insulated, placed inside insulated tubing
 - Z6/1 Ground connector sleeve
 - Z73 Right CAN voltage distributor screening connector sleeve
 - Z73/3 CAN bus, rear SAM screening connector sleeve
 - Z82/6 Lighting warning buzzer contact connector sleeve

Item: