


Werkstattinformationssystem Display Document

Sales designation: CL 600	Vehicle ident. number: WDB215376*	Engine number: 275.950	Automatic transmission: 722649	Gr.: 54.15	Entry: Mod.Y.: Op.no.:
GF54.15-P-1256-01IH		Fuse assignment of rear fuse and relay box			Full-size view Validity OFF Page: 2 / 13

Assignment of rear fuse and relay box

- 50-77 Fuses
- K40/5 Rear fuse and relay module
- Q-U Relay




wis GF54.15-P-1256-01IH Fuse assignment of rear fuse and relay box Normal view validity OFF Page: 3/ 10

Fuse	circuit	Color of fused wire	Fused function	Rating in amperes (A)
50	-	-	Rear window roller blind relay (K40/5kQ)	10
51	-	-	Towing sensor relay (K40/5kR)	5
52	30	-	Fuel pump relay (K40/5kT)	30
53	30	-	Rear window defroster relay (K40/5kU)	50
54	15	rs/rt 0.75 mm ²	Trailer recognition control module (N28/1)	10
55	30	rd/vi 2.5mm ²	Trailer hitch socket (13-pin) (X58)	25
56	30	rd/ye 2.5 mm ²	Trailer recognition control module (N28/1)	30
57	30	rd 2.5 mm ²	Valid for remote trunk locking (HDFS): <ul style="list-style-type: none"> ● Via circuit 30 connector sleeve (solder connector in harness) (Z7/26): <ul style="list-style-type: none"> - Trunk lid open relay (K69/1) - Trunk lid closed relay (K69/2) 	25
58	30	gr/bk 0.75mm ²	Via circuit 30 connector sleeve fused, Keyless Go (Z7/19): <ul style="list-style-type: none"> ● Keyless Go control module (N69/5) ● Keyless Go left front door antenna (A2/38) 	7.5

Start wis Benzworl... 10:57

wis GF54.15-P-1256-01IH Fuse assignment of rear fuse and relay box Normal view validity OFF Page: 4/ 10

			(A2/38)	<ul style="list-style-type: none"> ● Keyless Go left rear door antenna (A2/39) ● Keyless Go right front door antenna (A2/40) ● Keyless Go right rear door antenna (A2/41) ● Keyless Go left front door lift solenoid (L12) ● Keyless Go left rear door lift solenoid (L12/1) ● Keyless Go right front door lift solenoid (L12/2) ● Keyless Go right rear door lift solenoid (L12/3) 	
59	30	rt/ws 2×2,5 mm ²	Special vehicle multifunction control module (SVMCM) (N26/9), taxi only	30	
60	15	-	-	-	
61 	30	rd/ye 1.5mm ² rd/ye 0.75mm ²	Valid for radio (D2B): <ul style="list-style-type: none"> ● via circuit 30 connector sleeve (Z4/3): <ul style="list-style-type: none"> - Radio (A2) - Rear window antenna amplifier module (A2/12) 	15	

Start wis Benzworl... 10:59

wis GF54.15-P-1256-01IH Fuse assignment of rear fuse and relay box Normal view validity OFF Page: 7 / 10

62	30	rd/bk 1.5mm ²	Pneumatic system equipment with combined functions (A37)	20
63	30	rd/bk 0.75mm ²	<p>Valid for telephone D2B (code 316):</p> <ul style="list-style-type: none"> ● D2B interface for permanently installed telephone (A59) ● CTEL transmitter / receiver (A35) if emergency call system (TELE AID) fitted, ● TELE AID control module (A35/8) <p>or</p> <p>Valid for telephone D2B (code 316) with voice control system (813b):</p> <ul style="list-style-type: none"> ● Via circuit 30 connector sleeve (solder connector in harness) (Z7/26): <ul style="list-style-type: none"> - D2B- Interface for fixed installation telephone (A59) - CTEL transmitter / receiver (A35) - Voice control system control module (A35/11) if emergency call system (TELE AID) fitted, - TELE AID control module (A35/8) <p>Valid for telephone D2B portable CTEL (code 317) (preinstallation):</p>	7,5
		rd/bk 0.5mm ²		
		rd/bk 0.75mm ²		

Start wis Benzworl... 11:02

GF54.15-P-1256-01IH		Fuse assignment of rear fuse and relay box		Normal view	Validity OFF	Page: 8 / 10
		rd/bk 0.75mm ²	Valid for telephone D2B portable CTEL (code 317) (preinstallation): <ul style="list-style-type: none"> ● Portable CTEL connector (X39/39) ● Traffic data recorder (A2/43) 			
64	30	rd/ye 0.75mm ²	<ul style="list-style-type: none"> ● COMAND operating, display and control module (A40/3) ● Rear window antenna amplifier module (A2/12) 	7,5		
65	-	-	-	-		
66	30	rd/ye 2.5 mm ²	Valid for radio (D2B) with sound system (code 810): <ul style="list-style-type: none"> ● Sound amplifier (A2/13) 	25		
67	30	rd/bl 2.5 mm ²	Rear seats control module (N25/6) (not in the case of C215)	25		
68	30	rd/wt 1.0mm ² rd/wt 0.8mm ² rd/wt 0.5mm ²	via connector sleeve Kl.30 (Z7/40): <ul style="list-style-type: none"> ● Rear air conditioning control module (N22/4) ● Rear AC refrigerant shutoff valve (Y67) ● Delivery unit for rear heating system 	15		

Werkstattinformationssystem Display Document

Sales designation: **CL 600** Vehicle ident. number: **WDB215376*** Engine number: **275.950** Automatic transmission: **722649** Gr.: **54.15** Entrv: Mod.Y.: Op. no.:

GF54.15-P-1256-01IH **Fuse assignment of rear fuse and relay box** Full-size view Validity **OFF** Page: **12 / 13**

		rd/wt 0.5mm ² rd/wt 0.8mm ²	<ul style="list-style-type: none"> Delivery unit for rear heating system (A31/1) <ul style="list-style-type: none"> - Circulation pump (A31/1m1) - Left duovalve (A31/1y1) - Right duovalve (A31/1y2) 	
69	30	rd/bk 1.0mm ²	Valid for rear air conditioning: Rear air conditioning control module (N22/4)	15
70	30	rd/bk 0.75mm ²	TPM [RDK] control module (N88)	10
71	30	rd/br 2.5mm ²	Left front seat adjustment control module with memory (N32/1)	25
72	30	rd 2.5 mm ² rd/gn 4.0mm ²	Rear seats control module (N25/6), model 215, Left rear door control module (N69/3), model 220	40
73	30	rd/vi 2.5mm ²	Right front seat adjustment control module with memory (N32/2)	25

wis _ □ X

Werkstattinformationssystem Display Document

Sales designation: **CL 600** Vehicle ident. number: **WDB215376*** Engine number: **275.950** Automatic transmission: **722649** Gr.: **54.15** Entrv: Mod.Y.: Op. no.:

GF54.15-P-1256-01IH **Fuse assignment of rear fuse and relay box** Full-size view Validity **OFF** Page: **13 / 13**

72	30	rd 2.5 mm ² rd/gn 4.0mm ²	Rear seats control module (N25/6), model 215, Left rear door control module (N69/3), model 220	40
73	30	rd/vi 2.5mm ²	Right front seat adjustment control module with memory (N32/2)	25
74	30	rd 4.0mm ² rd/bl 4.0mm ²	Rear seats control module (N25/6), model 215, Right rear door control module (N69/4), model 220	40
75	15	bk/rd 1.5mm ²	With Parktronic system (code 220a): PTS control module (N62)	10
76	30	rd/bl 1.5mm ²	Rear backrest refrigerator box (A39/1)	15
77	30	rd/bk 2.5 mm ²	Roof operating unit control module (N70)	40

Add. Functions Document Functions What is new? Document: 1 / 1 Level: 3 Menu Help Previous Screen

Start wis Benzworl... 11:13

wis GF54.15-P-1257-01IH Relay assignment of rear fuse and relay box Normal view Validity OFF Page: 2 / 2

P54.15-2033-05

Bay	Designation
Q	Rear window roller blind relay (K40/5kQ)
R	Towing sensor relay (K40/5kR)
S	Circuit 15 relay (K40/5kS)
T	Fuel pump relay (K40/5kT)
U	Rear window defroster relay (K40/5kU)

Start wis Benzworl... 11:21