
## MODEL 204, 207



P68.20-3697-09

### Shown on MODEL 204.0 with CODE 523 (Radio MB Audio 20) and CODE 423 (Automatic 5-speed transmission)


- 1 Center console
- 2 Boot (MODEL 204.0/2/3, MODEL 204.9 as of model year 2013 except CODE 427 (Automatic transmission 7G-TRONIC PLUS), MODEL 204.9 up to model year 2013, MODEL 207 as of model year 2014 except CODE 427 (Automatic transmission 7G-TRONIC PLUS), MODEL 207 up to model year 2014)
- 3 Cover (MODEL 204.0/2/3, MODEL 204.9 as of model year 2013 except CODE 427 (Automatic transmission 7G-TRONIC PLUS), MODEL 204.9 up to model year 2013, MODEL 207 as of model year 2014 except CODE 427 (Automatic transmission 7G-TRONIC PLUS) except CODE 494 (USA version), MODEL 207 up to model year 2014)
- 4 Stowage box/tray or ashtray (MODEL 204.0/2/3, MODEL 204.9 up to model year 2013, MODEL 207 as of model year 2014 except CODE 427 (Automatic transmission 7G-TRONIC PLUS) except CODE 494 (USA version), MODEL 207 up to model year 2014)

- 5 Cover 9 6 Electrical connector (MODEL 204, 14 MODEL 207 up to model year 2014)
- 9 Nut 14 Tab
- 7 Electrical connector (MODEL 15 204.0/2/3, MODEL 204.9 up to model year 2013, MODEL 207 up to model year 2014)
- 5 Floor covering

8 Bolts

# Shown on model 204.9 as of model year 2013

- 3 Cover
- 5 Cover
- 8 Bolts
- 18 Louver (MODEL 204.9 as of model year 2013 with CODE 427 (Automatic transmission 7G-TRONIC PLUS))
- 19 Housing
- 20 Electrical connectors



P68.20-4555-06

### Model 204.9 up to model year 2013

| 16    | Cover                            |
|-------|----------------------------------|
| N72/1 | Upper control panel control unit |




P68.20-4018-01


# Shown on model 204.9 as of model year 2013

| 1  | Center console   |
|----|--|
| 17 | Electrical connector (MODEL  |
|    | 204.9 as of model year 2013,<br>MODEL 207)   |
| 22 | Retaining plate (MODEL 204.9<br>as of model year 2013 with<br>CODE 386 (Comfort telephony) |

- CODE 386 (Comfort telephony), MODEL 207 as of model year 2012 with CODE 386 (Comfort telephony)) X18/70 Electrical connector for Media Interface (MODEL 204.9, 207
- Interface (MODEL 204.9, 2 with CODE 518 (Media Interface))



P68.20-4554-06




P68.20-4711-09

### Model 207 as of model year 2014

- 1 Center console
- 4 Stowage box/tray or ashtray (without CODE 494 (USA version))
- 9 Nut
- 23 Cover (with CODE 427 (Automatic transmission 7G-TRONIC PLUS), without CODE 494 (USA version))
  - .

### Shown on model 207.4

- 1 Center console
- 17 Electrical connector (MODEL 204.9 as of model year 2013, MODEL 207)



- 25 Cupholder (with CODE 494 (USA version))
- 26 Cupholder (with CODE 427 (Automatic transmission 7G-TRONIC PLUS) and CODE 310 (Cupholder), without CODE 494 (USA version))
- 27 Ashtray (with CODE 494 (USA version))


- 28 Electrical connectors
- 29 Stowage box/tray (with CODE 427 (Automatic transmission 7G-TRONIC PLUS), without CODE 310 (Cupholder), without CODE 494 (USA version))



P68.20-4260-11

### Shown on model 204.0


| 1      | Center console  |
|--------|---|
| 10     | Cover (without CODE 301<br>(Ashtray package/smoker<br>package))                 |
| 11     | Ashtray (with CODE 301<br>(Ashtray package/smoker<br>package))                  |
| 12     | Nuts  |
| X39/37 | Electrical connector for mobile<br>phone (with code (386) Comfort<br>telephony) |



P68.20-3796-06

## Shown on MODEL 207.4 as of 01.06.12 with CODE 386 (Comfort telephony) and with CODE 512 (COMAND APS incl. DVD changer)

X39/37 Electrical connector for mobile phone (with code (386) Comfort telephony)
 X115x1 Electrical connector USB (MODEL 204.0/2 as of 01.03.11 with CODE 512 (COMAND APS incl. DVD changer), MODEL 204.3/9 with CODE 512 (COMAND APS incl. DVD changer), MODEL 207.04 with CODE 512 (COMAND APS incl. DVD changer), MODEL 207.04 with CODE 512 (COMAND APS incl. DVD changer) or CODE 512 (COMAND APS incl. DVD changer) or CODE 523 (Radio MB Audio 20) or CODE 526 (Comand DVD (without Navigation)) or CODE 527 (COMAND APS) or CODE 528 (COMAND incl. DVD changer), MODEL 207 as of 01.06.12)




P82.70-7617-01

|    | Information on preventing damage to<br>electronic components due to electrostatic<br>discharge |   | AH54.00-P-0001-01A |
|----|--|---|--------------------|
| XX | Remove/install   |   |                    |
| 1  | Switch off ignition and remove transmitter key   |   |                    |
| 2  | Unclip boot (2) from cover (3)   | MODEL 204.0/2/3<br>MODEL 204.9<br>as of model year 2013<br>without CODE 427 (7-speed automatic<br>transmission)<br>MODEL 204.9<br>up to model year 2013<br>MODEL 207<br>as of model year 2014<br>without CODE 427 (7-speed automatic<br>transmission)<br>MODEL 207<br>up to model year 2014<br>S Long wedge                             | *115589035900      |
| 3  | Set selector lever in position "N" or gearshift<br>lever to neutral position                   | MODEL 204.0/2/3<br>MODEL 204.9<br>as of model year 2013<br>without CODE 427 (7-speed automatic<br>transmission)<br>MODEL 204.9<br>up to model year 2013<br>MODEL 207<br>as of model year 2014<br>without CODE 427 (7-speed automatic<br>transmission)<br>MODEL 207<br>up to model year 2014<br><b>i</b> Depending on vehicle equipment. |                    |

| 4   | Unclip covering (5)   | MODEL 204.0/2<br>up to model year 2012<br>MODEL 204.9<br>as of model year 2013   |               |
|-----|---|--|---------------|
|     |   | <ul> <li>Carefully detach the covering (5) at all four corners using the long wedge.</li> </ul>                                    |               |
|     |   | Otherwise the covering (5) can bend or kink in the middle.   | *115589035900 |
| 5.1 | Open louver (18)n   | MODEL 204.9  |               |
|     |   | as of model year 2013<br>with CODE 427 (7-speed automatic<br>transmission)   |               |
| 5.2 | Open stowage box/tray (4) or ashtray                            | MODEL 204.0/2/3<br>MODEL 204.9<br>up to model year 2013<br>MODEL 207   |               |
|     |   | as of model year 2014<br>without CODE 494 (US version)<br>MODEL 207  |               |
|     |   | up to model year 2014<br>i Stowage box/tray or ashtray (4) according<br>to equipment.  |               |
| 6   | Unclip cover (3) upward in front area and remove                | MODEL 204.0/2/3<br>MODEL 204.9<br>as of model year 2013  |               |
|     |   | without CODE 427 (7-speed automatic<br>transmission)<br>MODEL 204.9  |               |
|     |   | up to model year 2013<br>MODEL 207<br>as of model year 2014  |               |
|     |   | without CODE 427 (7-speed automatic<br>transmission)<br>MODEL 207  |               |
| 7   | Unclip cover (23) toward front by hand and                      | up to model year 2014<br>MODEL 207   |               |
|     | remove  | as of model year 2014<br>with CODE 427 (7-speed automatic<br>transmission)   |               |
| 8   | Unclip and remove cupholder cover (24)                          | without CODE 494 (US version)<br>MODEL 207<br>with CODE 494 (US version)   |               |
| 9   | Remove cup holder (25)  | MODEL 207<br>with CODE 494 (US version)  |               |
| 10  | Remove cup holder (26)  | MODEL 207  |               |
|     |   | as of model year 2014<br>with CODE 310 (Cup holder)<br>with CODE 427 (7-speed automatic<br>transmission)                           |               |
| 11  | Remove stowage tray (29)  | without CODE 494 (US version)<br>MODEL 207<br>with CODE 427 (7-speed automatic<br>transmission)                                    |               |
|     |   | without CODE 310 (Cup holder)<br>without CODE 494 (US version)   |               |
| 12  | Remove ashtray (27)   | MODEL 207<br>with CODE 494 (US version)  |               |
| 13  | Open stowage box/tray (4) or ashtray                            | MODEL 204.0/2/3<br>MODEL 204.9<br>up to model year 2013  |               |
|     |   | MODEL 207<br>as of model year 2014<br>without CODE 494 (US version)  |               |
|     |   | MODEL 207<br>up to model year 2014<br>i Stowage box/tray or ashtray (4) according  |               |
|     |   | to equipment.<br><b>i</b> Installation: Check mechanism for  |               |
|     |   | stowage box (4) and ashtray for proper<br>function, if necessary loosen threaded<br>connection from center console (1) and tighten |               |
| 14  | Remove housing (19) and ashtray or stowage box/tray             | center console (1) without tension.<br>MODEL 204.9<br>as of model year 2013  |               |
|     |   | <b>i</b> Ashtray or stowage box/tray according to vehicle equipment.   |               |
| 15  | Unclip cover (16) from upper control panel control unit (N72/1) | MODEL 204.9<br>up to model year 2013   |               |
|     | /X ar68 20-p-2000cw Remove/install center console               |  | Page 5 of 7   |

| 16   | Remove control and operating unit  | MODEL 204.0/2/3<br>as of model year 2012<br>MODEL 204.9<br>as of model year 2013<br>MODEL 207<br>MODEL 204.0/2/3<br>as of model year 2012<br>MODEL 204.9<br>as of model year 2013   | AR83.40-P-6350CW<br>AR83.40-P-6350CYA |
|------|--|---|---------------------------------------|
| 17   | Disconnect electrical connector (6)  | MODEL 207<br>MODEL 204<br>MODEL 207   | AR83.25-P-1124EC                      |
| 18   | Disconnect electrical connectors (28)  | up to model year 2014<br>MODEL 207<br>as of model year 2014   |                                       |
| 19   | Disconnect electrical connector (7)  | MODEL 204.0/2/3<br>MODEL 204.9<br>up to model year 2013<br>MODEL 207<br>up to model year 2014   |                                       |
| 20   | Disconnect electrical connectors (20)  | MODEL 204.9<br>as of model year 2013  |                                       |
| 21   | Remove screws/bolts (8)  | <b>i</b> Installation: Ensure that center console           (1) is installed without tension.   |                                       |
| 22   | Unscrew nut (9)  | <b>i</b> Installation: Ensure that center console (1) is installed without tension.   |                                       |
| 23.1 | Unclip cover (10) from center console (1)  | MODEL 204, 207<br>without CODE 301 (Ashtray package/smoker<br>package)  |                                       |
| 23.2 | Remove ashtray (11)  | MODEL 204, 207<br>with CODE 301 (Ashtray package/smoker<br>package)   | AR68.20-P-2230CW                      |
| 24   | Remove DVD player bracket  | MODEL 204.9<br>with CODE 864 (Rear entertainment system)  | AR82.60-P-7506CY                      |
| 25   | Unscrew nuts (12)  | <b>i</b> Installation: Ensure that center console (1) is installed without tension.   |                                       |
| 26   | Disconnect electrical connectors from mobile phone (X39/37)                        | MODEL 204, 207<br>with CODE 386 (Comfort telephony)   |                                       |
| 27   | Disconnect separating point for USB electrical connector (X115x1)                  | MODEL 204.0/2 as of 3/1/11, 204.3/9<br>with CODE 512 (COMAND APS with DVD<br>changer)<br>MODEL 207 as of 6/1/12<br>MODEL 207 up to 5/31/12<br>with CODE 088 (Control code NTG 4.5)<br>with CODE 510 (Audio 20 CD with CD<br>changer)<br>MODEL 207 up to 5/31/12<br>with CODE 088 (Control code NTG 4.5)<br>with CODE 512 (COMAND APS with DVD<br>changer)<br>MODEL 207 up to 5/31/12<br>with CODE 088 (Control code NTG 4.5)<br>with CODE 088 (Control code NTG 4.5)<br>with CODE 523 (MB Audio 20 radio)<br>MODEL 207 up to 5/31/12<br>with CODE 088 (Control code NTG 4.5)<br>with CODE 526 (Comand DVD (without<br>navigation))<br>MODEL 207 up to 5/31/12<br>with CODE 088 (Control code NTG 4.5)<br>with CODE 527 (COMAND APS)<br>MODEL 207 up to 5/31/12<br>with CODE 088 (Control code NTG 4.5)<br>with CODE 528 (COMAND APS)<br>MODEL 207 up to 5/31/12 |                                       |
| 28   | Fold retaining plate (22) upward   | MODEL 204.9<br>up to model year 2013<br>with CODE 386 (Comfort telephony)<br>MODEL 207<br>as of model year 2012 up to model year 2014<br>with CODE 386 (Comfort telephony)  |                                       |
| 29   | Unclip Media Interface electrical connector<br>(X18/70) and feed through downwards | MODEL 204.9, 207<br>with CODE 518 (Media interface)<br>i Removal: Media Interface electrical<br>connector (X18/70) remains in vehicle.<br>i Installation: Ensure that Media Interface<br>electrical connector (X18/70) is seated<br>correctly.  |                                       |

| 30.1 | Lift lug (14) and guide center console (1)<br>toward rear out of instrument panel and<br>remove           | MODEL 204.0/2/3<br>MODEL 204.9<br>up to model year 2013<br>i Installation: Insert center console (1) into<br>dashboard from top at an angle.<br>Position floor covering (15) on left and right<br>below center console (1) (arrows).<br>Position electrical lines in center console (1)<br>before tightening nuts (9, 12). |  |
|------|---|--|--|
| 30.2 | Lift lug (14) and move center console (1)<br>toward rear until electrical connector (17) is<br>accessible | MODEL 204.9<br>as of model year 2013<br>MODEL 207  |  |
| 31   | Disconnect electrical connector (17)  | MODEL 204.9<br>as of model year 2013<br>MODEL 207  |  |
| 32   | Guide out center console (1) and remove   | MODEL 204.9<br>as of model year 2013<br>MODEL 207  |  |
|      |   | i Installation: Insert center console (1) into dashboard from top at an angle.<br>Position floor covering (15) on left and right below center console (1) (arrows).<br>Position electrical lines in center console (1) before tightening nuts (9, 12).   |  |
| 33   | Install in the reverse order  |  |  |



Long wedge