



Vehicle Model	Manufactured	Remarks	OHAR *	Resistor-wire included	Order-No. left/right	current RECARO seats							
						style / trend	sport	mobility	Armrest.Mobility	speed	Orthoped	Ergomed DS	Armrest.Ergomed DS
Alfa Romeo													
33, 1.3 and 1.7 E	from 4/90				68.06.09/09	o	o	o		15	o	o	
75					67.92.09/09	o		o			o		
145 / 146		13	o	V	86.13.16/26	o	o	o	t	15	o	o	t
147		15			86.73.16/26	o	o	o	t		o	o	t
156		13	o	V	86.38.16/26	o	o	o	t	15	o	o	t
164			o		86.08.16/26	o	o	o		o	o	o	
166		12,13,15	o	V	86.27.16/26	o	o	o	t	o	o	o	t
GTV (Spider possible - without TÜV)	from 1/96		o		86.36.16/26	o	o	o	-	o	o		
Audi													
80, belt buckle on seat	8/77 - 8/86	1	o		85.13.17/27	o	o	o		o	o	o	
80, 90	till 8/86	1	o		85.20.17/27	o	o	o		o	o	8	
Coupé, Sport Quattro	till 8/88	1	o		85.20.17/27	o	o	o		o	o	8	
80, 90	from 9/86	1	o		85.77.17/27	o	o	o		o	o	o	
Coupé, Sport Quattro	from 9/88	1	o		85.77.17/27	o	o	o		o	o	o	
80, Cabriolet, S 2, RS 2, Avant	from 9/91	1	o		85.77.17/27	o	o	o	t	o	o	o	t
100, 200, Turbo / Turbo Quattro	9/82 - 8/89	1	o		85.22.17/27	o	o	o		o	o	8	
100, 200, Turbo / Quattro, V 8, Avant	from 9/89	1	o		85.80.17/27	o	o	o	-	o	o	o	-
A4	2/95 - 7/99	1, 13	o	o	85.94.17/27	o	o	o	t	o	o	14	t
A4	8/99 - 11/00	1, 13	o	o	85.94.17/27	o	o	o	t	o	o		
A4, Cabrio (electrical length adjustm.)	12/00 - 5/03	6, 13, 15	o	o	68.76.19/29	o	o		t			o	t
A4, Cabrio (manual length adjustment)	from 12/00	1, 13, 15	o	o	86.69.16/26	o	o	o	t	o	o	o	t
A6	till 3/97	1, 13	o	V	85.80.17/27	o	o	o	-	o	o	o	-
A6 and A6 Allroad	from 4/97	12,13	o	o	86.23.17/27	o	o	o	t	15	o	o	t
BMW													
316 - 323i (E 30), M 3	12/82 - 8/85	2	o		67.54.09/09	o	o	o		o	o	o	
316 - 325i (E 30), M 3	9/85 - 11/90	2	o		67.70.09/09	o	o	o		o	o	o	
316 - 325, only model E 36 (Compact, M 3)			o		86.25.16/26			o	-	15	o	3	-
316 - 325, only m. E 36 (deeper seat pos.)			o		86.20.16/26	o	o	o	-	15	o		
316i - 320d, only model E 46		9, 16	o		86.49.16/26A	o	o	o	-	15	o	14	-
518 - 535 (E 28)	8/79 - 12/87				67.55.09/09	o	o	o		o	o	o	
520i - 535i, only model E 34		4	o		67.81.19/29			o	-	o	o	o	-
520i - 535i, only model E 34		4	o		68.44.19/29	o	o	o	-	15	o		-
520i - 540i, only model E 39		4, 9, 16	o		86.04.16/26A	o	o	10	-	15	10	o	-
Cabel for BMW E 38 / E 39 with memory	till 3/00				7201101	o	o	o		o	o	o	
628 CSI - 635 CSI (E24)	from 8/79				67.56.09/09	o		o		o	o	o	
730i - 750iL, only model E 32	9/86 - 5/94	4	o		67.81.19/29			o	-	o	o	o	-
730i - 750iL, only model E 32	9/86 - 5/94	4	o		68.44.19/29	o	o	o	-	15	o		-
728 - 750i, only model E 38	6/94 - 11/01	4, 9	o		86.04.16/26A	o	o	10	-	15	10	o	-
X 5	till 6/02	9,00	o		86.67.16/26	o	o	o	-	o	o	o	-
Mini				U	68.83.19/29	o	o	o	-	o	o	o	-
Buick													
Century Bucket (Power)	75 - 81				1.43.3/0.36.3			o		o	o	o	
LaSabre (Manual)	87 - 91				0.36.3/0.36.3			o		o	o	o	
LaSabre Driver (Power), Passenger (Manual)	87 - 91				0.36.3/0.36.3			o		o	o	o	
Regal Bucket (Manual)	75 - 87				0.29.1/0.29.1	o	o	o		o	o	o	
Riviera (Power)	87 - 93				0.52.3/0.52.3			o		o	o	o	
Cadillac													
Eldorado, Biarritz (Power)	87 - 91				0.52.3/0.52.3			o		o	o	o	

Chevrolet												
Camaro	70 - 74				1.17.1/2.17.1							
Camaro	75 - 81				2.04.1/2.04.1	o	o					
Camaro (Manual)	82 - 93				0.13.4/0.13.4							
Camaro (Power)	82 - 92				1.52.3/2.52.3							
Camaro	94 - 01				1.68.3/2.68.3		o	o				
Caprice, Impala (Manual)	87 - 96				0.36.3/0.36.3							
Caprice, Impala (Power)	87 - 96				1.43.3/0.36.3							
Malibu (Power)	75 - 81				1.43.3/0.36.3							
Malibu (Manual)	75 - 81				0.29.1/0.29.1	o	o					
Monte Carlo Split Bench/Bucket	87 - 88				0.40.3/0.40.3							
Monte Carlo (Manual)	75 - 86				0.29.1/0.29.1	o	o					
Chevrolet / GMC Trucks												
Astro Van	85 - 95				0.39.3/0.39.3			o	o	o	o	o
Syclone	91 - 92				0.52.3/0.52.3			o	o	o	o	o
Typhoon	92 - 93				0.52.3/0.52.3			o	o	o	o	o
Tahoe (Full size bucket)	95 - 96				0.40.3/0.40.3	o	o	o	o	o	o	o
El Camino Split Bench/Bucket	87 - 88				0.40.3/0.40.3	o	o	o	o	o	o	o
K-5 (Blazer/Jimmy)	82 - 91				0.68.2/0.68.2			o	o	o	o	o
S-10 Blazer Bucket - 2 door/ 4 door	83 - 94				0.52.3/0.52.3			o	o	o	o	o
S-15 Jimmy Bucket - 2 door/4 door	90 - 94				0.52.3/0.52.3			o	o	o	o	o
CK Blazer Full Size Bucket	92 - 96				0.40.3/0.40.3	o	o	o	o	o	o	o
Yukon Full Size Bucket	83 - 93				0.40.3/0.40.3	o	o	o	o	o	o	o
S-10 Pickup Bucket	83 - 93				0.52.3/0.52.3			o	o	o	o	o
S-15 Sonoma Pickup Bucket	83 - 93				0.52.3/0.52.3			o	o	o	o	o
Pickup Full Size and Extended Bucket (Silverado & Sierra)	88 - 95				0.40.3/0.40.3	o	o	o	o	o	o	o
Suburban Bucket	82 - 91				0.68.2/0.68.2			o	o	o	o	o
Suburban Bucket	92 - 95				0.40.3/0.40.3	o	o	o	o	o	o	o
Tahoe-Yukon-Surburban-GMC	96 - 99				0.66.4/0.66.4	o	o	o	o	o	o	o
Chevrolet Full Size Pick - Up	96 - 98				0.66.4/0.66.4	o	o	o	o	o	o	o
Chrysler												
Voyager	till 12/95		o		12.77.16/--	o	o	o	t	o	o	t
Voyager SE (only with manual lenght adj.)	1/96 - 3/01		o		86.07.16/26	o	o	o	t	15	o	t
Grand Cherokee	till 8/95	6			68.32.19/29	o	o	o	-	15	o	17
Cherokee, Grand Cherokee (Manual & Power Seats)	96 - 01				1.54.9/2.54.9	o	o	o		o	o	o
Cherokee, Wagoneer Bucket	84 - 94				0.40.1/0.40.1			o	o	o	o	o
Comanche	85 - 92				0.40.1/0.40.1			o	o	o	o	o
Wrangler (Manual)	91 - 95				1.96.3/2.96.3			o	o	o	o	o
Wrangler (Manual & Power Seats)	97 - 02				1.54.9/2.54.9			o	o	o	o	o
PT Cruiser without Factory airbag sin seats	00 - 04				1.01.3/2.01.3	o	o	o		o	o	o
Dodge												
Dakota Pickup 2 Dr. & Extended Cab	98 - 01				0.74.5/0.74.5	o	o	o		o	o	o
Durango	98 - 01				0.74.5/0.74.5	o	o	o		o	o	o
Ram Pickup Non-Extended Cab Only	98 - 01				0.74.5/0.74.5	o	o	o		o	o	o
Ram Pickup (Manual) 1500/2500 series	94 - 97				0.96.4/0.96.4	o	o	o		o	o	o
Ford												
Escort	from 2/95	2	o		86.60.16/26	o	o	o		15	o	3
Escort Cosworth					67.50.09/09	o		o	-		o	
F-150, Explorer, Expedition	97-03				0.53.8							
Focus		13	o	o	86.57.16/26	o	o	o		o	o	o
Mondeo/Contour	8/96 - 10/00	13	o	o	86.51.16/26A	o	o	10	-	10	10	-
Mustang, power (Relocation OE Power Seat Switch Required)	98 - 04				1.74.0/2.74.0	o	o	o		o	o	o
Mustang Special Kit (Manual / Lower seat position)	98 - 04		o		03.02.19/03.02.29	o	o	o		o	o	o
Mustang	65 - 70				0.12.1/0.12.1	o	o	o		o	o	o
Mustang, power (Relocation OE Power Seat Switch Required)	79 - 97				0.07.4/0.07.4	o	o	o		o	o	o
Mustang Special Kit (Manual / Lower seat position)	79 - 97		o		03.01.19/03.01.19	o	o	o		o	o	o

Mitsubishi													
Carisma		13	o	U	86.59.16/26	o	o	o	-	15	o	o	-
Colt/Lancer	from 3/92	13	o	U	86.11.16/26	o	o	o	-	15	o	o	-
Eclipse (Without factory airbag)	00-03				1.00.2/2.00.2	o	o	o		o	o	o	
Evolution VI			o		86.62.16/26	o	o	o	-	15	o	o	-
Galant	3/93 - 2/97		o		85.85.16/26	o	o	o		o	o	o	
Galant, additional belt h. 7202420.1/2 needed	from 3/97		o		85.85.16/26	o		o	-	15	o	o	-
Belt holder	from 3/97		o		7202420.1/2	o		o		15	o	o	
Montero	9/83 - 6/91				12.56.06/06	o		o	-	15	o		
Montero	7/91 - 12/96	2			68.09.09/09			o	-		o		
Montero Sport	till 12/01		o		86.37.16/26			o	-	15	o		
Montero (easy entry available)	1/97 - 4/00	12			68.62.19/29			o	-	15	o		
Cover for Montero (needed for savety)	1/97 - 4/00				7300488.1/2			o		o			
Cover for Montero (needed for savety)	1/97 - 4/00				7300489.1/2						o		
Montero	from 5/00	15	o		86.80.16/26	o	o	o		15	o	o	
Nissan													
Patrol	9/83 - 12/00	2			12.43.16/26	o		o		15	o	o	
Patrol GR	12/88 - 3/98	2			67.94.19/29			o			o		
Pickup (King Cab)	9/85 - 2/98				67.85.19/29	o		o			o		
Primera	till 8/96		o		85.89.16/26	o	o	o	-	o	o	o	-
Primera	9/96 - 3/02	13	o		86.24.16/26	o	o	o	-	15	o	o	-
Terrano		2			67.85.19/29	o		o		o	o		
Terrano II	8/93 - 9/98	2	o		85.90.16/26	o	o	o	t	o	o	o	t
Oldsmobile													
Bravada	91 - 94				0.52.3/0.52.3			o		o	o	o	
Cutlass Supreme (Power)	75 - 86				1.43.3/0.36.3			o		o	o	o	
Cutlass Supreme (Manual)	75 - 87				0.29.1/0.29/1	o	o	o		o	o	o	
Delta 88 (Manual or Power)	87 - 91				0.36.3/0.36.3			o		o	o	o	
Toronado (Power)	87 - 92				1.52.3/2.52.3			o		o	o	o	
Pontiac													
Bonneville (Manual & Power)	87 - 91				0.36.3/0.36.3			o		o	o	o	
Firebird	70 - 74				1.17.1/2.17.1			o		o	o	o	
Firebird	75 - 81				1.04.1/2.04.1	o	o	o		o	o	o	
Firebird (Manual)	82 - 93				0.13.4/0.13.4			o		o	o	o	
Firebird (Power)	82 - 92				1.52.3/2.52.3			o		o	o	o	
Firebird	93 - 02				1.68.3/2.68.3		o	o					
Grand Prix (Manual) Bucket	75 - 87				0.29.1/0.29.1	o	o	o		o	o	o	
LeMans (Manual) Bucket	75 - 82				0.29.1/0.29.1	o	o	o		o	o	o	
Trans Sport	from 1/93	6			68.25.09/09	o		o		o	o		
Porsche													
911 / 924 / 928 / 944	8/73 - 9/84				67.51.09/09	o		o		o	o	3	
911	10/84 - 8/89				67.90.19/29	o		o			o	3	
911 (993)	from 9/89				67.90.19/29	o	o	o	-	o	o		
924 / 944 / 964	from 10/84				67.90.19/29	o		o		o	o	3	
968	from 9/91				67.90.19/29	o		o	-	o	3		-
911 (996) / Boxter					86.26.16/26	3	3						
911	up to 7/73				0.49.1/0.49.1	o	o	o		o	o	o	
Rover													
Freelander	from 11/00	15			86.79.16/26	o	o	o	t	15	o	o	t
Saab													
900 GL, 900 Turbo	till 8/93	2	o		67.71.09/09	o	o	o		o	o	o	
900 (2-door), Cabrio	from 9/93	2.12	o		85.97.16/26	o	o	o	-	o	o	o	-
900 (4-door)	from 9/93	12	o		85.98.16/26	o	o	o	-	o	o	o	-
9000 / Turbo		12	o		86.08.16/26	o	o	o	-	15	o	o	-

Subaru												
Imprezza	till 10/00		o		86.50.16/26	o	o	o	-	15	o	
Imprezza	from 11/00	15	o	U	86.75.16/26	o	o	o	-	15	o	
Toyota												
Celica	from 1/00	15	o	U	86.65.16/26	o	o	o	-	15	o	
Corolla	92 - 8/97		o		86.43.16/26	o	o	o	t	15	o	t
Corolla	9/97 - 12/01	13	o	U	86.43.16/26	o	o	o	-	15	o	-
4 Runner	till 8/92		o		12.75.16/26	o	o	o	-	o	o	-
4 Runner	from 9/92		o		85.93.16/26	o	o	o	-	o	o	-
Tacoma	till 9/97		o		12.75.16/26	o	o	o	-	o	o	-
Landcruiser J7		2			12.66.06/-	o		o	-	15	o	-
RAV 4	till 7/00	2			86.03.16/26	o	o	o	t	15	o	t
MR2	85 - 90				1.06.3/2.06.3							
Pickup 2-4 WD Bucket	84 - 88				1.44.3/2.44.3							
Pickup 4 WD Extended Cab Bench and Bucket	89 - 94				1.90.3/2.90.3							
Pickup 2WD Bucket or Bucket	89 - 94				1.90.3/2.90.3							
4 Runner Bucket	85 - 89				1.44.3/2.44.3							
4 Runner Bucket/Bench	90 - 95				1.90.3/2.90.3							
Volvo												
240, 244, 245					12.49.16/26	o		o		15	o	o
440, 460		13	o		85.95.16/26	o	o	o	t	o	o	t
740, 760		1, 13	o		67.78.09/09	o	o	o		o	o	
940, 960		1, 13	o		67.78.09/09	o		o		o	o	
V 40	till 12/99	13, 15	o	U	86.58.16/26	o	o	o	-		o	-
V 70 / S 70	till 12/99	13	o	U	86.22.16/26	o	o	o	-	15	o	-
Spacer bracket for V 70 (20 mm)					373864	o	o	o			o	
Spacer bracket for V 70 (40 mm)					373865	o	o	o			o	
VW												
Bus Typ 2 (with and without rotary base)	9/79 - 12/90				12.32.06/06			o	t/d		o	
Bus T4 (without rotary base)	1/91 - 2/96				85.81.17/27	o	o	o	t/d	o	o	t/d
Golf / Jetta	8/78 - 8/89		o		85.14.17/27	o	o	o		o	o	8
Golf Cabrio (155)	8/78 - 2/93		o		85.14.17/27	o	o	o		o	o	8
Golf / Jetta	9/89 - 8/91		o		85.64.17/27	o		o	-		o	8
Golf 3 / Vento / Variant		13	o	V	85.78.17/27			o	t	o	o	
Golf 3 / Vento / Variant (deeper seat position)		8.13	o	V	86.18.17/27	o	o				o	t
Golf 3 Cabrio (1EXO)		13	o	V	85.78.17/27	o	o	o	-	o	o	8
Golf 4 / Bora		12.13	o	o	86.15.17/27	o	o	o	t	15	o	t
Beetle 1200, 1300, 1303, 1400, Mexico B.	from 8/72				67.17.06/06	o	o	o		15	o	o
New Beetle	from 10/96	2,12,13	o	o	86.15.17/27	o	o	o	t	15	o	t
Passat	8/77 - 7/79		o		85.13.17/27	o	o	o		o	o	o
Passat	8/80 - 2/88		o		85.20.17/27	o	o	o		o	o	o
Passat	3/88 - 8/93		o		85.78.17/27	o	o	o		o	o	8
Passat	9/93 - 9/96		o		85.78.17/27			o	-	o	o	
Passat (deeper seat position)	9/91 - 9/96	8, 15	o		86.18.17/27	o	o				o	-
Passat	from 10/96	12.13	o	o	86.23.17/27	o	o	o	-	15	o	-
Passat Variant	9/93 - 2/97		o		85.78.17/27			o		o	o	
Passat Variant (deeper seat position)	9/93 - 2/97	8, 15	o		86.18.17/27	o	o		-		o	-
Passat Variant	from 3/97	12.13	o	o	86.23.17/27	o	o	o	-	15	o	-
Santana					85.20.17/27	o		o		15	o	8
Scirocco	from 8/81		o		85.45.19/29	o	o	o		o	o	o
Resistor-wires												
Resistor-wire for VW / Audi / Alfa Romeo / Fiat side airbags					7202121	o	o	o		o	o	o
Resistor-wire for Ford Mondeo side airbag (modell till 10/00)					7201026	o	o	o		o	o	o
Resistor-wire for Ford Focus, Puma, Fiesta					7202215	o	o	o		o	o	o
Universal resistor-wire*					7201710	o	o	o		o	o	o

Double locking runners for left and right hand use												
Track Kit (Inside bar, no tabs)					0.70.9NT	o	o	o		o	o	
Track Kit (Inside bar, w/ tabs)					0.70.9	o	o	o		o	o	
Track Kit (Outside bar, no tabs)					0.76.3NT	o	o	o		o	o	
Track Kit (Outside bar, w/ tabs)					0.76.3	o	o	o		o	o	
Racing seats adapter												
Steel adapter for PROFI, PRO RACER, RACER					30687907							
Steel adapter for POLE POSITION					7202451							
Aluminum adapter for all Racing seats (universal)					7207000							
Steel adapter for all Racing seats (universal)					7207450							
Remarks:												
1) Not available for cars originally equipped with electrical seat adjustment						* OHAR = original height adjuster to be removed						
2) For 2-door cars, only one seat can be installed						before RECARO installation						
3) Only seats with electrical backrest adjustment can be fitted												
4) If original seat has memory facility, please contact RECARO for further details						Armrest (drivers seat)						
5) Not available for cars originally equipped with standard height adjustment						t	Armrest can only be fitted to tunnel-side of seat					
6) Only available for cars originally equipped with electrical seat length-adjustment						d	Armrest can only be fitted to door-side of seat					
7) Armrest at the side of tunnel only 4-door cars						t/d	Armrest can be fitted to either side of the seat					
8) Seat can only be installed with "middle angle linkage"						-	Armrest cannot be fitted					
9) For passenger's seat, please contact RECARO for further details						Attention:			please check if an armrest can be installed			
10) Spacer bracket recommended						- depending on the current interior-version						
11) Use passenger's seat on driver's side / driver's seat on passenger's side												
12) If standard electrical seat adjustment is installed, the adjustment is changed into manual						Order example:						
13) Side airbag no longer available with installing a RECARO Seat						Right hand seat for Passat 6/93 model =						
14) Seat adjustment restricted in the very front position - reason: seat is too wide						Left hand SR seat cover for BMW 520i =						
15) There is no official certificate ("ABE") available for this combination seat-baseframe yet.												
16) Spacer bracket included (use optional)												
17) Only with additional spacer bracket (20mm distance) (needs to be ordered separately)												
99) This seat model is not produced by RECARO anymore. The car type can't be added to the "ABE" of this seat.												
FF) The baseframe does not include a resistor-wire. For vehicles with side airbag please use the resistor-wire for Ford Focus / Fiesta / Puma.												
FM) The baseframe does not include a resistor-wire. For vehicles with side airbag please use the resistor-wire for Ford Mondeo, model till 10/00.												
O) The baseframe does not include a resistor-wire. For vehicles with side airbag please use the resistor-wire for Opel.												
U) The baseframe does not include a resistor-wire. For vehicles with side airbag please use the universal resistor-wire.												
V) The baseframe does not include a resistor-wire. For vehicles with side airbag please use the resistor-wire for VW.												
Attention, important information:												
I For people with small stature it is recommended to use the spacer brackets.												
II Installations of RECARO adapter kits that involve seat belt pre-tensioner units or side airbags have to be performed by authorized RECARO dealers only.												
I To remove the OEM seat special tools may be necessary like e. g. a torx wrench.												
II If a vehicle had an obvious facelift and it is not mentioned on the adapter kit list please contact RECARO.												