

Code :	Designation :	Position :
A0	Color code key	340L
Code 228	Stationary heater	135F
Code 228	Stationary heater	312F
Code 421	9-speed automatic transmission	151F
Code 421	9-speed automatic transmission	318F
Code 423	5-speed automatic transmission	85B
Code 427	7-speed automatic transmission	85B
Code 488	Steel/air suspension	35G
Code 488	Steel/air suspension	115G
Code 488	Steel/air suspension	205G
Code 488	Steel/air suspension	292G
Code 489	AIRMATIC (air suspension with continuously adjustable damping)	35F
Code 489	AIRMATIC (air suspension with continuously adjustable damping)	115F
Code 489	AIRMATIC (air suspension with continuously adjustable damping)	205F
Code 489	AIRMATIC (air suspension with continuously adjustable damping)	292F
Code 4U7	Start/stop voltage dip protection	258A
Code 580	Air conditioning	32G
Code 580	Air conditioning	47G
Code 580	Air conditioning	108G
Code 580	Air conditioning	127G
Code 580	Air conditioning	198G
Code 580	Air conditioning	217G
Code 580	Air conditioning	285G
Code 580	Air conditioning	304G
Code 581	Automatic air conditioning	32G
Code 581	Automatic air conditioning	32G
Code 581	Automatic air conditioning	47G
Code 581	Automatic air conditioning	108G
Code 581	Automatic air conditioning	127G
Code 581	Automatic air conditioning	198G
Code 581	Automatic air conditioning	217G
Code 581	Automatic air conditioning	285G
Code 581	Automatic air conditioning	304G
Code B03	Automatic air conditioning	70A
Code B03	Automatic air conditioning	70A
Code ME04	Hybrid drive 20 KW VARIANT	168A
Code 204	High protection B4	19F
F270	Additional battery fuse	239G
F32	Front electrical prefuse box	170A
F32	Front electrical prefuse box	5A
F32	Front electrical prefuse box	24A

Code :	Designation :	Position :
F32	Front electrical prefuse box	14A
F32	Front electrical prefuse box	32A
F32	Front electrical prefuse box	40A
F32	Front electrical prefuse box	48A
F32	Front electrical prefuse box	56A
F32	Front electrical prefuse box	64A
F32	Front electrical prefuse box	84A
F32	Front electrical prefuse box	92A
F32	Front electrical prefuse box	100A
F32	Front electrical prefuse box	108A
F32	Front electrical prefuse box	116A
F32	Front electrical prefuse box	125A
F32	Front electrical prefuse box	132A
F32	Front electrical prefuse box	140A
F32	Front electrical prefuse box	149A
F32	Front electrical prefuse box	159A
F32	Front electrical prefuse box	177A
F32	Front electrical prefuse box	185A
F32	Front electrical prefuse box	192A
F32	Front electrical prefuse box	200A
F32	Front electrical prefuse box	208A
F32	Front electrical prefuse box	216A
F32	Front electrical prefuse box	225A
F32	Front electrical prefuse box	233A
F32	Front electrical prefuse box	241A
F32	Front electrical prefuse box	249A
F32	Front electrical prefuse box	269A
F32	Front electrical prefuse box	277A
F32	Front electrical prefuse box	285A
F32	Front electrical prefuse box	293A
F32	Front electrical prefuse box	301A
F32	Front electrical prefuse box	310A
F32	Front electrical prefuse box	318A
F32	Front electrical prefuse box	327A
F32c1	Interference suppression capacitor	17A
F32f150	Prefuse 150	5C
F32f150	Prefuse 150	94C
F32f150	Prefuse 150	170C
F32f150	Prefuse 150	271C

Code :	Designation :	Position :
F32f151	Prefuse 151	42C
F32f151	Prefuse 151	124C
F32f151	Prefuse 151	214C
F32f151	Prefuse 151	295C
F32f152	Prefuse 152	46C
F32f152	Prefuse 152	128C
F32f152	Prefuse 152	218C
F32f152	Prefuse 152	313C
F32f153	Prefuse 153	40C
F32f153	Prefuse 153	131C
F32f153	Prefuse 153	221C
F32f153	Prefuse 153	297C
F32f154	Prefuse 154	44C
F32f154	Prefuse 154	134C
F32f154	Prefuse 154	224C
F32f154	Prefuse 154	301C
F32f155	Prefuse 155	48C
F32f155	Prefuse 155	136C
F32f155	Prefuse 155	225C
F32f155	Prefuse 155	305C
F32f156	Prefuse 156	51C
F32f156	Prefuse 156	159C
F32f156	Prefuse 156	250C
F32f156	Prefuse 156	308C
F32f157	Prefuse 157	55C
F32f157	Prefuse 157	120C
F32f157	Prefuse 157	210C
F32f157	Prefuse 157	311C
F32f158	Prefuse 158	29C
F32f158	Prefuse 158	163C
F32f158	Prefuse 158	254C
F32f158	Prefuse 158	283C
F32f159	Prefuse 159	24C
F32f159	Prefuse 159	149C
F32f159	Prefuse 159	278C
F32f160	Prefuse 160	38C
F32f160	Prefuse 160	106C
F32f160	Prefuse 160	195C
F32f160	Prefuse 160	290C

Code :	Designation :	Position :
F32f161	Prefuse 161	62C
F32f161	Prefuse 161	101C
F32f161	Prefuse 161	191C
F32f161	Prefuse 161	326C
F32f162	Prefuse 162	63C
F32f162	Prefuse 162	113C
F32f162	Prefuse 162	203C
F32f162	Prefuse 162	328C
F32f163	Prefuse 163	65C
F32f163	Prefuse 163	332C
F32f164	Prefuse 164	57C
F32f164	Prefuse 164	319C
F32k1	Decoupling relay	91A
F32k2	Quiescent current cutout relay	59A
F32k2	Quiescent current cutout relay	157A
F34	Interior fuse box	138L
F34	Interior fuse box	315L
F63	Pyrofuse	82L
F96	Additional battery circuit 30 fuse	146G
F96	Additional battery circuit 30 fuse	235G
G1	On-board electrical system battery	12L
G1	On-board electrical system battery	84L
G1	On-board electrical system battery	269L
G1/11	Rear on-board electrical system battery	15L
G1/11	Rear on-board electrical system battery	180L
G1/13	ECO start/stop function additional battery	145L
G1/13	ECO start/stop function additional battery	234L
G2	Alternator	5L
G2	Alternator	94L
G2	Alternator	244L
G2	Alternator	271L
K114	ECO start/stop function additional battery relay	148L
K114	ECO start/stop function additional battery relay	237L
K13/2	Heated windshield relay	21L
K40/10	HYBRID fuse and relay module	227L
K67	AIRMATIC relay	37L
K67	AIRMATIC relay	117L
K67	AIRMATIC relay	207L
K67	AIRMATIC relay	294L


Code:	Designation:	Position:
M1	Starter	3L
M1	Starter	75L
M1	Starter	173L
M1	Starter	263L
M4/7	Combustion engine and air conditioning with integrated control fan motor	45L
M4/7	Combustion engine and air conditioning with integrated control fan motor	124L
M4/7	Combustion engine and air conditioning with integrated control fan motor	214L
M4/7	Combustion engine and air conditioning with integrated control fan motor	302L
N10/1	Front SAM control unit with fuse and relay module	63L
N10/1	Front SAM control unit with fuse and relay module	54L
N10/1	Front SAM control unit with fuse and relay module	89L
N10/1	Front SAM control unit with fuse and relay module	142L
N10/1	Front SAM control unit with fuse and relay module	133L
N10/1	Front SAM control unit with fuse and relay module	161L
N10/1	Front SAM control unit with fuse and relay module	183L
N10/1	Front SAM control unit with fuse and relay module	223L
N10/1	Front SAM control unit with fuse and relay module	231L
N10/1	Front SAM control unit with fuse and relay module	260L
N10/1	Front SAM control unit with fuse and relay module	251L
N10/1	Front SAM control unit with fuse and relay module	310L
N10/1	Front SAM control unit with fuse and relay module	329L
N10/1	Front SAM control unit with fuse and relay module	58L
N10/2	Rear SAM control unit with fuse and relay module	67L
N10/2	Rear SAM control unit with fuse and relay module	165L
N10/2	Rear SAM control unit with fuse and relay module	157L
N10/2	Rear SAM control unit with fuse and relay module	247L
N10/2	Rear SAM control unit with fuse and relay module	256L
N10/2	Rear SAM control unit with fuse and relay module	324L
N10/2	Rear SAM control unit with fuse and relay module	333L
N129/1	Power electronics control unit	241L
N14/3	Glow output stage	72L
N14/3	Glow output stage	170L
N2/10	Supplemental restraint system control unit	8L
N2/10	Supplemental restraint system control unit	78L
N2/10	Supplemental restraint system control unit	176L
N26/9	Special-purpose vehicle multifunction control unit	113L
N26/9	Special-purpose vehicle multifunction control unit	97L
N26/9	Special-purpose vehicle multifunction control unit	187L
N26/9	Special-purpose vehicle multifunction control unit	203L

Code:	Designation:	Position:
N26/9	Special-purpose vehicle multifunction control unit	274L
N26/9	Special-purpose vehicle multifunction control unit	290L
N30/4	Electronic Stability Program control unit	25L
N30/4	Electronic Stability Program control unit	101L
N30/4	Electronic Stability Program control unit	101L
N30/4	Electronic Stability Program control unit	279L
N30/4	Electronic Stability Program control unit	279L
N30/6	Regenerative braking system control unit	192L
N30/7	Premium Electronic Stability Program control unit	25L
N30/7	Premium Electronic Stability Program control unit	102L
N30/7	Premium Electronic Stability Program control unit	101L
N30/7	Premium Electronic Stability Program control unit	278L
N30/7	Premium Electronic Stability Program control unit	279L
N68	Electrical power steering control unit	41L
N68	Electrical power steering control unit	121L
N68	Electrical power steering control unit	211L
N68	Electrical power steering control unit	298L
R22/3	PTC heater booster	48L
R22/3	PTC heater booster	128L
R22/3	PTC heater booster	218L
R22/3	PTC heater booster	305L
R62	Voltage dip limiter	266L
U118	Valid for front battery	10F
U118	Valid for front battery	51F
U118	Valid for front battery	56F
U119	Valid for rear battery	13F
U12	Valid for left-hand drive vehicles	16F
U12	Valid for left-hand drive vehicles	31F
U12	Valid for left-hand drive vehicles	30F
U12	Valid for left-hand drive vehicles	32F
U12	Valid for left-hand drive vehicles	95G
U12	Valid for left-hand drive vehicles	108F
U12	Valid for left-hand drive vehicles	107F
U12	Valid for left-hand drive vehicles	106F
U12	Valid for left-hand drive vehicles	197F
U12	Valid for left-hand drive vehicles	186G
U12	Valid for left-hand drive vehicles	196F
U12	Valid for left-hand drive vehicles	198F
U12	Valid for left-hand drive vehicles	272G

Code:	Designation:	Position:
U12	Valid for left-hand drive vehicles	283F
U12	Valid for left-hand drive vehicles	284F
U12	Valid for left-hand drive vehicles	285F
U123	Valid for taxi electrical system	95F
U123	Valid for taxi electrical system	112F
U123	Valid for taxi electrical system	186F
U123	Valid for taxi electrical system	202F
U123	Valid for taxi electrical system	272F
U123	Valid for taxi electrical system	289F
U13	Valid for right-hand drive vehicles	16G
U13	Valid for right-hand drive vehicles	23F
U13	Valid for right-hand drive vehicles	29F
U13	Valid for right-hand drive vehicles	28F
U13	Valid for right-hand drive vehicles	99F
U13	Valid for right-hand drive vehicles	112G
U13	Valid for right-hand drive vehicles	104F
U13	Valid for right-hand drive vehicles	105F
U13	Valid for right-hand drive vehicles	189F
U13	Valid for right-hand drive vehicles	194F
U13	Valid for right-hand drive vehicles	195F
U13	Valid for right-hand drive vehicles	202G
U13	Valid for right-hand drive vehicles	276F
U13	Valid for right-hand drive vehicles	289G
U13	Valid for right-hand drive vehicles	282F
U13	Valid for right-hand drive vehicles	281F
U13	Valid for manual transmission	85C
U24	Valid for manual transmission	89B
U240	Valid for all except ECO start/stop function	2A
U242	Valid for fan motor 800 W	43G
U242	Valid for fan motor 800 W	123G
U242	Valid for fan motor 800 W	213G
U242	Valid for fan motor 800 W	300G
U250	Valid for electric power steering	39F
U250	Valid for electric power steering	119F
U250	Valid for electric power steering	209F
U250	Valid for electric power steering	296F
U576	Valid for heater booster	47F
U576	Valid for heater booster	127F
U576	Valid for heater booster	217F


Code:	Designation:	Position:
U576	Valid for heater booster	304F
U74	Valid for diesel engines	70F
U880	Valid for diesel engine 642	56G
U938	Valid for ESP Basic	23G
U938	Valid for ESP Basic	99G
U938	Valid for ESP Basic	99G
U938	Valid for ESP Basic	276G
U939	Valid for ESP Premium	276G
U939	Valid for ESP Premium	23G
U939	Valid for ESP Premium	99G
U939	Valid for ESP Premium	99G
U939	Valid for ESP Premium	276G
U948	Valid for diesel engine 651	276G
U950	Valid for fan motor 650 W	168F
U950	Valid for fan motor 650 W	43F
U950	Valid for fan motor 650 W	123F
U950	Valid for fan motor 650 W	213F
U950	Valid for fan motor 650 W	300F
V19	ECO start/stop function diode	87C
V19	ECO start/stop function diode	182C
W16/3	Left major assembly compartment ground point	17H
W16/4	Right wheelhouse ground point	17H
W2	Right front ground point at lamp unit	89H
W2	Right front ground point at lamp unit	184H
W7/8	Right front ground point at lamp unit	265H
W7/8	Right wheelhouse trunk ground point	148G
W8/8	Right wheelhouse trunk ground point	237G
W8/8	Ground point (right rear end)	145G
X18	Ground point (right rear end)	233G
X18	Vehicle interior and harness for tail lamp electrical connector	33J
X18	Vehicle interior and harness for tail lamp electrical connector	110J
X18	Vehicle interior and harness for tail lamp electrical connector	200J
X18	Vehicle interior and harness for tail lamp electrical connector	287J
X221	ECO start/stop function circuit 30 cable connector	241G
X25/2	Engine compartment/interior electrical connector	266H
X26	Interior and engine wiring harness electrical connector	262H
X4/37	Terminal block (circuit 30)	14H
X4/37	Terminal block (circuit 30)	149H
X4/37	Terminal block (circuit 30)	179G

Code :	Designation :	Position :
X85/8	PTC heater booster electrical connector	48H
X85/8	PTC heater booster electrical connector	128H
X85/8	PTC heater booster electrical connector	218H
X85/8	PTC heater booster electrical connector	305H
Y3/8	Fully integrated transmission control control unit	153L
Y3/8	Fully integrated transmission control control unit	319L
Z211z1	Circuit 30 supply connector sleeve	38H
Z211z1	Circuit 30 supply connector sleeve	118H
Z211z1	Circuit 30 supply connector sleeve	207H
Z211z1	Circuit 30 supply connector sleeve	295H
Z211z2	Circuit 30 supply connector sleeve	36H
Z211z2	Circuit 30 supply connector sleeve	116H
Z211z2	Circuit 30 supply connector sleeve	206H
Z211z2	Circuit 30 supply connector sleeve	293H
Z211z4	Circuit 30 supply connector sleeve	152H
Z211z4	Circuit 30 supply connector sleeve	319H
Z236	Circuit 30 supply connector sleeve	263E
Z25/1	ECO start/stop function circuit 50 connector sleeve	80E
Z6/97	Starter lamp unit circuit 31 connector sleeve	89F
Z6/97	Right lamp unit circuit 31 connector sleeve	184F









Cut here

▼ Affix page 5 here





