

## Auto-scan results

Mercedes-Benz E (2009-2016) [S212/V212/W212]

ECU	Faults
DMFL/TSGVL - Door - front left VIN:WDD2120251A044276 DMFL 212 2128203926 - 02/11	6
DMFR/TSGVR - Door - front right VIN:WDD2120251A044276 DMFR 212 2128203826 - 02/11	6
DMRL/TSGHL - Door - rear left VIN:WDD2120251A044276 DMRL 212 2128204326 - 02/11	7
DMRR/TSGHR - Door - rear right VIN:WDD2120251A044276 DMRR 212 2128204226 - 02/11	6
HLML/ALWRL - Headlamp left HLM LT 212 212 820 56 26 - Hella - 00/0A	12
HLMR/ALWRR - Headlamp right HLM RT 212 212 820 56 26 - Hella - 00/0A	12
HVAC/KLA - Air conditioning VIN:WDD2120251A044276 Climate control HVAC 212 2128300385 - 02/18	6
SAMFL/SAMV - Signal acquisition/Actuation module - front left VIN:WDD2120251A044276 SAMF 212 2125452501 - 01/0C	10
SAMR/SAMH - Signal acquisition/Actuation module - rear SAMR 212 2125452832 - 01/14	7
ZGW/CGW - Central gateway CGW 212 2125451001 - 01/06	5

-----

Autoscan has discovered 10 control unit(s) in the vehicle, 10 of them contain(s) stored faults.

## Fault code memory

Mercedes-Benz E (2009-2016)  
DMFL 212  
UDS

Present DTCs:           0  
Stored DTCs:           6  
DTC History:           0  
Pending DTCs:         ???

```
=====
Code  Description
=====
```

```
B210C-16 The voltage supply is outside the valid range. Voltage limit value has been
exceeded
      29
-----
```

```
B210A-00 The voltage supply in the system is too low
      29
-----
```

```
B1759-15 The output for the exit and warning light is malfunctioning. There is a short
circuit to positive or an interruption
      28
-----
```

```
U0168-87 The communication with the electronic ignition starter is malfunctioning
      28
-----
```

```
U0141-87 Communication with the signal acquisition and control module at the front is
malfunctioning
      28
-----
```

```
U0146-87 The communication with the central gateway is malfunctioning
      28
=====
```

## Fault code memory

Mercedes-Benz E (2009-2016)  
DMFR 212  
UDS

Present DTCs: 0  
Stored DTCs: 6  
DTC History: 0  
Pending DTCs: ???

```
=====
Code Description
=====
```

```
B210C-16 The voltage supply is outside the valid range. Voltage limit value has been
exceeded
      29
-----
```

```
B210A-00 The voltage supply in the system is too low
      29
-----
```

```
U0203-87 Communication with the front left door control device is malfunctioning
      28
-----
```

```
U0168-87 The communication with the electronic ignition starter is malfunctioning
      28
-----
```

```
U0141-87 Communication with the signal acquisition and control module at the front is
malfunctioning
      28
-----
```

```
U0146-87 The communication with the central gateway is malfunctioning
      28
=====
```

## Fault code memory

Mercedes-Benz E (2009-2016)  
DMRL 212  
UDS

Present DTCs:           0  
Stored DTCs:           7  
DTC History:           0  
Pending DTCs:         ???

=====  
Code   Description  
=====

B210C-16 The voltage supply is outside the valid range. Voltage limit value has been exceeded  
          29

-----  
B210A-00 The voltage supply in the system is too low  
          29

-----  
U0203-87 Communication with the front left door control device is malfunctioning  
          28

-----  
U0168-87 The communication with the electronic ignition starter is malfunctioning  
          28

-----  
U0141-87 Communication with the signal acquisition and control module at the front is malfunctioning  
          28

-----  
U0146-87 The communication with the central gateway is malfunctioning  
          28

-----  
B18B1-01 The output for the central locking motor is malfunctioning. There is an interruption  
          29  
=====

## Fault code memory

Mercedes-Benz E (2009-2016)  
DMRR 212  
UDS

Present DTCs:           0  
Stored DTCs:           6  
DTC History:           0  
Pending DTCs:          ???

```
=====
Code  Description
=====
```

```
B210C-16 The voltage supply is outside the valid range. Voltage limit value has been
exceeded
      29
-----
```

```
B210A-00 The voltage supply in the system is too low
      29
-----
```

```
U0203-87 Communication with the front left door control device is malfunctioning
      28
-----
```

```
U0168-87 The communication with the electronic ignition starter is malfunctioning
      28
-----
```

```
U0141-87 Communication with the signal acquisition and control module at the front is
malfunctioning
      28
-----
```

```
U0146-87 The communication with the central gateway is malfunctioning
      28
=====
```

## Fault code memory

Mercedes-Benz E (2009-2016)  
HLM LT 212  
CAN

Present DTCs: 0  
Stored DTCs: 12  
DTC History: 0  
Pending DTCs: 0

```
=====
Code  Description
=====
```

```
B1009 Variant code: Component not programmed
      60
-----
```

```
B100C System power supply: Undervoltage
      60
-----
```

```
B100F Supply voltage: undervoltage
      60
-----
```

```
B1060 CAN communication: Not available
      60
-----
```

```
B1061 CAN signal from instrument cluster: Not available
      60
-----
```

```
B1062 CAN communication: Not available
      60
-----
```

```
B1066 CAN signal from gearbox control: Not available
      60
-----
```

```
B1068 CAN communication: Not available
      60
-----
```

```
B106A CAN communication: Not available
      20
-----
```

```
B106B Communication with running gear/ brake control system: Not available
      60
-----
```

```
B106D CAN signal from drive-system control: Not available
      60
-----
```

```
B1071 CAN communication: Not available
      20
=====
```

## Fault code memory

Mercedes-Benz E (2009-2016)  
HLM RT 212  
CAN

Present DTCs: 0  
Stored DTCs: 12  
DTC History: 0  
Pending DTCs: 0

```
=====
Code  Description
=====
```

```
B100C System power supply: Undervoltage
      60
-----
```

```
B100F Supply voltage: undervoltage
      60
-----
```

```
B1040 CAN communication: Not available
      60
-----
```

```
B1060 CAN communication: Not available
      60
-----
```

```
B1061 CAN signal from instrument cluster: Not available
      60
-----
```

```
B1062 CAN communication: Not available
      60
-----
```

```
B1066 CAN signal from gearbox control: Not available
      60
-----
```

```
B1068 CAN communication: Not available
      60
-----
```

```
B1069 CAN signal from instrument cluster: Not available
      60
-----
```

```
B106B Communication with running gear/ brake control system: Not available
      60
-----
```

```
B106D CAN signal from drive-system control: Not available
      60
-----
```

```
B1071 CAN communication: Not available
      20
=====
```

## Fault code memory

Mercedes-Benz E (2009-2016)  
Climate control HVAC 212  
UDS

Present DTCs: 0  
Stored DTCs: 7  
DTC History: 0  
Pending DTCs: ???

=====  
Code Description  
=====

B210A-21 Power supply: Power supply too low  
2B

-----  
B210D-21 Power supply: Power supply too low  
2B

-----  
U0151-88 Communication with rear control panel: Malfunction  
2B

-----  
U0166-00 Communication with auxiliary heater: Malfunction  
2B

-----  
B1113-15 Blowout air temperature sensor for foot area, right: Open circuit/positive  
short  
2B

-----  
B10B3-87 Supplementary heater: No message  
28

-----  
U0168-00 Communication with electronic ignition lock: Malfunction  
03  
=====



## Fault code memory

Mercedes-Benz E (2009-2016)  
SAMF 212  
UDS

Present DTCs: 0  
Stored DTCs: 15  
DTC History: 0  
Pending DTCs: ???

=====  
Code Description  
=====

B16CF-15 Left daytime driving light: Open circuit/B+ short  
29

-----  
B16D3-15 Right daytime driving light: Open circuit/B+ short  
29

-----  
U141E-00 ----  
69

-----  
B2194-00 Terminal 30: Undervoltage  
29

-----  
B2195-00 Terminal 30: Undervoltage  
29

-----  
B210C-16 Terminal 30: Overvoltage  
29

-----  
B2196-00 Terminal 30g: Undervoltage  
29

-----  
B2197-00 Terminal 30g: Undervoltage  
29

-----  
B2191-16 Terminal 30g: Overvoltage  
29

-----  
B2198-16 Wiper control: Undervoltage  
28

-----  
U1150-00 ----  
61

-----  
U1151-00 ----  
61

-----  
U1154-00 ----  
61

-----  
U1155-00 ----  
61

-----  
U11A7-00 ----  
69  
=====

## Fault code memory

Mercedes-Benz E (2009-2016)  
SAMR 212  
UDS

Present DTCs: 0  
Stored DTCs: 7  
DTC History: 0  
Pending DTCs: ???

```
=====
Code  Description
=====
```

```
B2196-00 Terminal 30g: Limit not attained
      29
-----
```

```
B2194-00 Power supply, terminal 30: Limit not attained
      29
-----
```

```
B2197-00 Terminal 30g: Limit not attained
      29
-----
```

```
B2195-00 Power supply, terminal 30: Limit not attained
      29
-----
```

```
B2191-16 Terminal 30g: Limit exceeded
      29
-----
```

```
B210C-16 Power supply: Limit exceeded
      29
-----
```

```
B21A2-11 Closed circuit relay: Short circuit or short to earth
      68
=====
```

## Fault code memory

Mercedes-Benz E (2009-2016)  
CGW 212  
UDS

Present DTCs:           0  
Stored DTCs:           5  
DTC History:           0  
Pending DTCs:         ???

```
=====
Code  Description
=====
```

```
U1032-88 The chassis CAN communication is malfunctioning. Bus OFF
      28
-----
```

```
U1032-12 The chassis CAN communication is malfunctioning. Bus OFF
      29
-----
```

```
U1032-2A The chassis CAN communication is malfunctioning. Bus OFF
      29
-----
```

```
B210A-00 The voltage supply is too low
      29
-----
```

```
U1182-00 The chassis CAN-BUS network management is unstable
      29
=====
```