

**Model 213.0**  
**except code 460 (Canada version)**  
**except code 494 (US version)**  
**except code 498 (Japanese version)**  
**except code 625 (Australia specification)**  
**except code 830 (Vehicles for China, additional parts)**

**i** Listed below is the assignment of the speed index to the respective vehicle model in combination with the approved wheel/tire combination.

Summer wheels	Wheel Ø (in inches)	16	17	17 MOE (R66)	18	18	18 MOE (R66)	18 MOE (R66)	18 MOE (R66)
	FA	205/65	225/55	225/55	245/45	245/45	245/45	245/45	245/45
	RA	205/65	225/55	225/55	245/45	275/40	245/45	275/40	275/40
	Load index	95	97	97	100 XL	100 XL/103 XL	100 XL	100 XL/99	100 XL/99
	Wheel dimension	7Jx16	7.5Jx17	7.5Jx17	8Jx18	8Jx18 9Jx18	8Jx18	8Jx18 9Jx18	8Jx18 9Jx18
	Wheel offset (ET)	32	40	40	43	43/53	43	43/49	43/53
Vehicle model									
213.004		√ 1)2)3)4)5)	Y 1)4)5)	Y 1)4)5)	Y 1)5)	Y	Y 1)5)	Y 7)8)9)	Y
213.013		√ 1)2)3)4)5)	Y 1)4)5)	Y 1)4)5)	Y 1)5)	Y	Y 1)5)	Y 7)8)9)	Y
213.033		--	Y 1)2)4)5)	Y 1)2)4)5)	Y 2)4)	Y	Y 2)4)	Y 2)4)5)	Y
213.042		√ 1)2)3)4)5)	Y 1)4)5)	Y 1)4)5)	Y 1)5)	Y	Y 1)5)	Y 7)8)9)	Y
213.043		--	Y 1)2)4)5)	Y 1)2)4)5)	Y 2)4)	Y	Y 2)4)	Y 2)4)5)	Y
213.045		--	Y 1)2)4)5)	Y 1)2)4)5)	Y 2)4)	Y	Y 2)4)	Y 2)4)5)	Y
213.048		--	Y 1)2)4)5)	Y 1)2)4)5)	Y 2)4)	Y	Y 2)4)	Y 2)4)5)	Y
213.049		--	Y 1)2)4)5)	Y 1)2)4)5)	Y 2)4)	Y	Y 2)4)	Y 2)4)5)	Y
213.050		--	Y 1)2)4)5)	Y 1)2)4)5)	Y 2)4)	Y	Y 2)4)	Y 2)4)5)	Y
213.066		--	--	--	Y 1)2)5)	Y	Y 1)2)5)	Y 2)5)	Y
213.071		--	--	--	Y 1)2)5)	Y	Y 1)2)5)	Y 2)5)	Y

Summer wheels	Wheel Ø (in inches)	18 AMG rim MOE (R66)	19	19 AMG rim MOE (R66)	19 MOE (R66)	20 AMG rim MOE (R66)	20 MOE (R66)	19 spare wheel
	FA	245/45	245/40	245/40	245/40	245/35	245/35	T135/70
	RA	275/40	245/40	275/35	275/35	275/30	275/30	T135/70
	Load index	100 XL/99	98 XL	98 XL/100 XL	98 XL/100 XL	95 XL/97 XL	95 XL/97 XL	105
	Wheel dimension	8Jx18 9Jx18	8Jx19	8Jx19 9Jx19	8Jx19 9Jx19	8Jx20 9Jx20	8Jx20 9Jx20	4.5Bx19
	Wheel offset (ET)	43/49	43	43/49	43/53	43/49	43/53	35
Vehicle model								
213.004		Y 7)8)9)	Y 1)5)	Y 2)4)5)	Y	Y 2)4)5)	Y	M
213.013		Y 7)8)9)	Y 1)5)	Y 2)4)5)	Y	Y 2)4)5)	Y	M
213.033		Y 2)4)5)	Y 1)5)	Y 2)4)5)	Y	Y 2)4)5)	Y	M
213.042		Y 7)8)9)	Y 1)5)	Y 2)4)5)	Y	Y 2)4)5)	Y	M
213.043		Y 2)4)5)	Y 1)5)	Y 2)4)5)	Y	Y 2)4)5)	Y	M
213.045		Y 2)4)5)	Y 1)5)	Y 2)4)5)	Y	Y 2)4)5)	Y	M
213.048		Y 2)4)5)	Y 1)5)	Y 2)4)5)	Y	Y 2)4)5)	Y	M
213.049		Y 2)4)5)	Y 1)5)	Y 2)4)5)	Y	Y 2)4)5)	Y	M
213.050		Y 2)4)5)	Y 1)5)	Y 2)	Y	--	--	M
213.066		Y 2)5)	Y 1)2)5)	Y 7)8)10)	Y	--	Y 10)	M
213.071		Y 2)5)	Y 1)2)5)	Y 7)8)10)	Y	--	Y 10)	M

Winter wheels	Wheel Ø (in inches)	16	17	17 MOE (R66)	18	18	18 MOE (R66)
	FA	205/65	225/55	225/55	245/45	245/45	245/45
	RA	205/65	225/55	225/55	245/45	275/40	245/45
	Load index	95	97	97	100 XL	100 XL/103 XL	100 XL
	Wheel dimension	7Jx16	7.5Jx17	7.5Jx17	8Jx18	8Jx18 9Jx18	8Jx18

	Wheel offset (ET)	32	40	40	43	43/53	43			
<b>Vehicle model</b>										
213.004		H 1) 2) 3) 4) 5) 12) 13)	H 2)6)11)13)	H 2)6)11)13)	V 13)	--	V 13)			
213.013		H 1) 2) 3) 4) 5) 12) 13)	H 2)6)11)13)	H 2)6)11)13)	V 13)	--	V 13)			
213.033		--	H 1)2)4)5)13)	H 1)2)4)5)13)	V 13)	--	V 13)			
213.042		H 1) 2) 3) 4) 5) 12) 13)	H 2)6)11)13)	H 2)6)11)13)	V 13)	--	V 13)			
213.043		--	H 1)2)4)5)13)	H 1)2)4)5)13)	V 13)	--	V 13)			
213.045		--	H 1)2)4)5)13)	H 1)2)4)5)13)	V 13)	--	V 13)			
213.048		--	H 1)2)4)5)13)	H 1)2)4)5)13)	V 13)	--	V 13)			
213.049		--	H 1)2)4)5)13)	H 1)2)4)5)13)	V 13)	--	V 13)			
213.050		--	--	--	--	V 13)	--			
213.066		--	--	--	V 10)13)	--	V 10)13)			
213.071		--	--	--	V 10)13)	--	V 10)13)			

Winter wheels	Wheel Ø (in inches)	18 AMG rim	18 AMG rim MOE (R66)	19 MOE (R66)	19 AMG rim MOE (R66)					
	FA	245/45	245/45	245/40	245/40					
	RA	245/45	245/45	245/40	245/40					
	Load index	100 XL	100 XL	98 XL	98 XL					
	Wheel dimension	8Jx18	8Jx18	8Jx19	8Jx19					
	Wheel offset (ET)	48	43	43	43					
<b>Vehicle model</b>										
213.004		V 13)	V 13)	V 13)	V 13)					
213.013		V 13)	V 13)	V 13)	V 13)					
213.033		V 13)	V 13)	V 13)	V 13)					
213.042		V 13)	V 13)	V 13)	V 13)					
213.043		V 13)	V 13)	V 13)	V 13)					
213.045		V 13)	V 13)	V 13)	V 13)					
213.048		V 13)	V 13)	V 13)	V 13)					
213.049		V 13)	V 13)	V 13)	V 13)	--				
213.050		--	--	--	--					
213.066		V 10)13)	V 10)13)	V 10)13)	V 10)13)					
213.071		V 10)13)	V 10)13)	V 10)13)	V 10)13)					

#### Notes

- 1) Except code 459 (Steel suspension with adjustable damping)
- 2) Except code P31 (AMG Exterior Line)
- 3) Except code P76 (Exterior standard equipment) with code 425 (6-speed manual transmission) and code B59 (DYNAMIC SELECT) or code P15 (AVANTGARDE exterior) or code P23 (EXCLUSIVE exterior) or code P55 (Night package)
- 4) Except code U29 (Brake system with larger brake disks on front axle)
- 5) Except code P31 (AMG Exterior Line) with code 459 (Steel suspension with adjustable damping)
- 6) With code 489 (AIR BODY CONTROL) or with code 482 (Off-road comfort suspension) or with code 677 (AGILITY CONTROL-suspension)

- 7) With code P31 (AMG Exterior Line)
- 8) With code P31 (AMG Exterior Line) with code 459 (Steel suspension with adjustable damping)
- 9) With code U29 (Brake system with larger brake disks on front axle)
- 10) With code 459 (Steel suspension with adjustable damping)
- 11) With code P76 (Exterior standard equipment) with code 425 (6-speed manual transmission) and code B59 (DYNAMIC SELECT) or code P15 (AVANTGARDE exterior) or code P23 (EXCLUSIVE exterior) or code P55 (Night package)
- 12) Except code 489 (AIR BODY CONTROL) or with code 482 (Off-road comfort suspension) or with code 677 (AGILITY CONTROL-suspension)
- 13) Operation with snow chains possible

Summer wheels	Wheel Ø (in inches)	16	17	17 MOE (R66)	18	18	18 MOE (R66)	18 MOE (R66)	
	FA	205/65	225/55	225/55	245/45	245/45	245/45	245/45	
	RA	205/65	225/55	225/55	245/45	275/40	245/45	275/40	
	Load index	95	97	97	100 XL	100 XL/103 XL	100 XL	100 XL/99	
	Wheel dimension	7Jx16	7.5Jx17	7.5Jx17	8Jx18	8Jx18 9Jx18	8Jx18	8Jx18 9Jx18	
	Wheel offset (ET)	32	40	40	43	43/53	43	43/53	
<b>Vehicle model</b>									
213.204		V 11)	Y 1)11)	Y 1)11)	Y 1)11)	Y	Y 1)11)	Y	
213.242		V 11)	Y 1)11)	Y 1)11)	Y 1)11)	Y	Y 1)11)	Y	
213.245		--	Y 1)	Y 1)	Y 1)	Y	Y 1)	Y	

Summer wheels	Wheel Ø (in inches)	18 AMG rim	18 AMG rim MOE (R66)	19	19 MOE (R66)	19 AMG rim	20 MOE (R66)	19 spare wheel	

	FA	245/45	245/45	245/40	245/40	245/40	245/35	T135/70	
	RA	245/45	245/45	245/40	275/35	245/40	275/30	T135/70	
	Load index	100 XL	100 XL	98 XL	98 XL/100 XL	98 XL	95 XL/97 XL	105	
	Wheel dimension	8Jx18	8Jx18	8Jx19	8Jx19 9Jx19	8Jx19	8Jx20 9Jx20	4.5Bx19	
	Wheel offset (ET)	43	43	43	43/53	43	43/53	43/53	
<b>Vehicle model</b>									
213.204		Y 1) <sup>11)</sup>	Y 1) <sup>11)</sup>	Y 1) <sup>11)</sup>	Y	Y 1) <sup>11)</sup>	Y	M	
213.242		Y 1) <sup>11)</sup>	Y 1) <sup>11)</sup>	Y 1) <sup>11)</sup>	Y	Y 1) <sup>11)</sup>	Y	M	
213.245		Y 1)	Y 1)	Y 1)	Y	Y 1)	Y	M	

Winter wheels	Wheel Ø (in inches)	16	17	17 MOE (R66)	18	18 MOE (R66)				
	FA	205/65	225/55	225/55	245/45	245/45				
	RA	205/65	225/55	225/55	245/45	245/45				
	Load index	95	97	97	100 XL	100 XL				
	Wheel dimension	7Jx16	7.5Jx17	7.5Jx17	8Jx18	8Jx18				
	Wheel offset (ET)	32	40	40	43	43				
<b>Vehicle model</b>										
213.204		H 11) <sup>13)</sup>	H 1) <sup>11)13)</sup>	H 1) <sup>11)13)</sup>	V 13)	V 13)				
213.242		H 11) <sup>13)</sup>	H 1) <sup>11)13)</sup>	H 1) <sup>11)13)</sup>	V 13)	V 13)				
213.245		--	H 1) <sup>13)</sup>	H 1) <sup>13)</sup>	V 13)	V 13)				

Winter wheels	Wheel Ø (in inches)	18 AMG rim	18 AMG rim MOE (R66)	19 MOE (R66)	19 AMG rim MOE (R66)					
	FA	245/45	245/45	245/40	245/40					
	RA	245/45	245/45	245/40	245/40					
	Load index	100 XL	100 XL	98 XL	98 XL					
	Wheel dimension	8Jx18	8Jx18	8Jx19	8Jx19					
	Wheel offset (ET)	43	43	43	43					
<b>Vehicle model</b>										
213.204		V 13)	V 13)	V 13)	V 13)					
213.242		V 13)	V 13)	V 13)	V 13)					
213.245		V 13)	V 13)	V 13)	V 13)					

### Notes

- 1) Except code 459 (Steel suspension with adjustable damping)
- 2) Except code P31 (AMG Exterior Line)
- 3) Except code P76 (Exterior standard equipment) with code 425 (6-speed manual transmission) and code B59 (DYNAMIC SELECT) or code P15 (AVANTGARDE exterior) or code P23 (EXCLUSIVE exterior) or code P55 (Night package)
- 4) Except code U29 (Brake system with larger brake disks on front axle)
- 5) Except code P31 (AMG Exterior Line) with code 459 (Steel suspension with adjustable damping)
- 6) With code 489 (AIR BODY CONTROL) or with code 482 (Off-road comfort suspension) or with code 677 (AGILITY CONTROL-suspension)

- 7) With code P31 (AMG Exterior Line)
- 8) With code P31 (AMG Exterior Line) with code 459 (Steel suspension with adjustable damping)
- 9) With code U29 (Brake system with larger brake disks on front axle)
- 10) With code 459 (Steel suspension with adjustable damping)
- 11) With code P76 (Exterior standard equipment) with code 425 (6-speed manual transmission) and code B59 (DYNAMIC SELECT) or code P15 (AVANTGARDE exterior) or code P23 (EXCLUSIVE exterior) or code P55 (Night package)
- 12) Except code 489 (AIR BODY CONTROL) or with code 482 (Off-road comfort suspension) or with code 677 (AGILITY CONTROL-suspension)
- 13) Operation with snow chains possible