

Model 213  
(Countries with low dust levels)

Modification notes

06.09.2018	Maintenance operation "Rear axle: Change oil" once at 3,000 km removed.		
------------	---	--	--

- Service A
- Service B
- Plus package
- For every service (equipment specific)
- Every 25,000 km (15,500 mi)/2 years
- Service 3 every service
- Service 4 Every 2 years
- Service 8 every 50,000 km (31,000 mi)/3 years
- Service 8 every 75,000 km (46,500 mi)/3 years
- Service 10 every 50,000 km (31,000 mi)/3 years
- Service 11 every 75,000 km (46,500 mi)/3 years
- Service 11 every 200,000 km (124,000 mi)/10 years
- Service 12 every 75,000 km (46,500 mi)/3 years
- Service 13 every 200,000 km (124,000 mi)/10 years
- Service 15 At every Service B
- Service 20 every 50,000 km (31,000 mi)/3 years
- Service 20 every 125,000 km (77,500 mi)
- Service 26 every 125,000 km (77,500 mi)/5 years
- Service 27 every 75,000 km (46,500 mi)/3 years



P00.20-2888-11

Customer.....

Order number.....

VIN/license plate number.....

Current mileage.....

Service code.....

Workshop code.....

Remaining distance.....

Remaining time.....

Oil type/viscosity.....

Completion time/date.....

Service consultation performed at vehicle

Yes No

Notes/explanations.....

The following activities are hereby confirmed:  
- Completion of relevant service operations

Signature.....

A	B	Input condition not OK:	<input checked="" type="checkbox"/>
---	---	-------------------------	-------------------------------------

Completed



<input type="checkbox"/>	<input type="checkbox"/>	<p><b>Service reception</b> The reception report for service on the vehicle is available in completed form.</p> <p>..... ○</p> <p><b>i</b> <b>To be performed by the Service Advisor</b> (where market-specific conditions require). Fully process all acceptance items and the maintenance items listed in the service sheet, only then is the service scope completely performed.</p>	AP00.20-P-0009Z
	<input type="checkbox"/>	<p><b>Brake system</b> Perform brake test and enter result in table.</p> <p>..... ○</p>	AP42.00-P-4290BA
	<input type="checkbox"/>	<p><b>Vehicle exterior</b> Check exterior lighting for proper operation.</p> <p>..... ○</p>	AP82.10-P-8252EW
	<input type="checkbox"/>	<p>Check headlamp range adjustment for proper operation.</p> <p>..... ○</p> <p>Vehicles with dynamic LED headlamps or with the headlamp range adjuster on the exterior lights switch.</p>	AP82.10-P-8250EW
	<input type="checkbox"/>	<p>Check and correct headlamp adjustment.</p> <p>..... ○</p> <p><b>i</b> The adjustment of headlamps on vehicles with level control system or dynamic LED headlamps is to be invoiced as an additional operation.</p>	AP82.10-P-8260J
<input type="checkbox"/>	<input type="checkbox"/>	<p>Check charging cable and vehicle socket for mechanical damage.</p> <p>..... ○</p> <p>Model 213.016/050/053/216</p>	AP54.10-P-5458B
	<input type="checkbox"/>	<p><b>Vehicle interior</b> Check windshield wipers, windshield washer system for proper operation.</p> <p>..... ○</p>	AP82.35-P-8252D
	<input type="checkbox"/>	<p>Replace activated charcoal particle filter.</p> <p>.....</p>	AP83.00-P-8384B
<input type="checkbox"/>	<input type="checkbox"/>	<p><b>Engine compartment</b> Brake system: Check fluid level.</p> <p>..... ○</p>	AP42.10-P-4210B
<input type="checkbox"/>	<input type="checkbox"/>	<p>Check air flap in engine compartment.</p> <p>..... ○</p> <p>Engine 177</p>	AP20.00-P-2052D
<input type="checkbox"/>		<p>Check coolant level in low-temperature circuit.</p> <p>..... ○</p> <p>Engine 177 Engine 256.9 Engine 264 Engine 274 in model 213.050/053 Engine 276.8 Engine 642</p>	AP20.30-P-2052F AP20.30-P-2052K AP20.30-P-2052C AP20.30-P-2052L AP20.30-P-2052H AP20.30-P-2052J
<input type="checkbox"/>		<p>Check coolant level in high-voltage battery circuit.</p> <p>..... ○</p> <p>Model 213.016/050/053/216</p>	AP20.30-P-2053A
<input type="checkbox"/>		<p>Check all visible parts in engine compartment for damage and leaks.</p> <p>..... ○</p>	AP00.20-P-0055E
<input type="checkbox"/>		<p>Check poly-V-belt in visible area for signs of wear.</p> <p>..... ○</p>	

<input type="checkbox"/>		<b>Underside of vehicle</b> Check visible area of poly-V-belts for wear. ..... ○	
<input type="checkbox"/>		Engine 177 Check all visible parts of vehicle underside for damage and leaks. ..... ○	AP13.22-P-1352D
<input type="checkbox"/>		<b>i</b> The country-specific regulations for mobility and body shell complaints apply. Check condition of steering and tie rods. ..... ○	AP00.20-P-0054I
<input type="checkbox"/>		Check condition of front axle and front axle joints. ..... ○	AP46.00-P-4651A
<input type="checkbox"/>		Check condition of propeller shaft and flex disks. ..... ○	AP33.10-P-3358A
<input type="checkbox"/>		Check condition of rear axle and rear axle ball joints. ..... ○	AP41.10-P-4152EW
<input type="checkbox"/>		Check condition of suspension struts or shock absorbers and springs. ..... ○	AP35.20-P-3552A
<input type="checkbox"/>		Check tires for damage and crack formation, and enter result in table. ..... ○	AP32.25-P-3255A
			AP40.10-P-4051EW
<input type="checkbox"/>	<input type="checkbox"/>	<b>Tires</b> <b>Plus package</b> Correct tire pressure and enter set tire pressure in table. ..... ○	AP40.15-P-4061A
<input type="checkbox"/>	<input type="checkbox"/>	<b>Trunk</b> <b>Plus package</b> Check/correct spare wheel tire pressure and enter set tire pressure in table. ..... ○ Vehicles with spare wheel.	AP40.15-P-4061A
<input type="checkbox"/>	<input type="checkbox"/>	Check TIREFIT tire sealant. ..... ○ Vehicles with TIREFIT. <b>i</b> Enter TIREFIT expiration date here: _____ <b>i</b> Replace TIREFIT, invoice as additional operation.	AP40.10-P-4054R
<input type="checkbox"/>	<input type="checkbox"/>	Check first-aid kit (soft sided). ..... ○ <b>i</b> Enter first-aid bag expiration date here: _____ <b>i</b> Replace first aid bag, invoice as an additional operation.	AP68.00-P-6850EW
<input type="checkbox"/>	<input type="checkbox"/>	Check trunk lighting for proper operation. ..... ○	
<input type="checkbox"/>	<input type="checkbox"/>	<b>Engine compartment</b> <b>Plus package</b> Windshield washer system: Check/correct fluid level. ..... ○ <b>i</b> When using cleaning compounds for summer/winter, and depending on the ambient temperature, observe the mixing ratio.	AP82.35-P-8210C

**Vehicle interior**

<input type="checkbox"/>	<input type="checkbox"/>	<p><b>Plus package</b></p> <p>Check lamps in instrument cluster and interior lighting for proper operation.</p>	----- ○	AP54.30-P-5453E
<input type="checkbox"/>	<input type="checkbox"/>	<p><b>Vehicle interior</b> For every service (equipment specific)</p> <p>Check ex-factory driving aids.</p>	----- ○	AP86.20-P-8649U
<input type="checkbox"/>	<input type="checkbox"/>	<p>Fill up or replace vial of perfume atomizer.</p>	----- After consultation with customer. With CODE P21 (Air quality package)	AP83.10-P-0100A
<input type="checkbox"/>	<input type="checkbox"/>	<p>Replace battery for KEYLESS-GO key.</p>	----- After consultation with customer. With code 889 (KEYLESS-GO) or with code 893 (KEYLESS-GO start function)	
<input type="checkbox"/>	<input type="checkbox"/>	<p><b>External refueling</b> For every service (equipment specific)</p> <p>AdBlue® container: Top up fluid level.</p>	----- After consultation with customer. With code U77 (BLUETEC (SCR) diesel exhaust treatment) or with code U79 (BLUETEC (SCR) diesel exhaust treatment, generation 3)	AP14.40-P-1410BT
<input type="checkbox"/>	<input type="checkbox"/>	<p><b>Engine compartment</b> Every 25,000 km (15,500 mi)/2 years</p> <p>Replace dust filter.</p>	-----	AP83.00-P-8381C
<input type="checkbox"/>	<input type="checkbox"/>	<p><b>Engine compartment</b> Service 3 every service</p> <p>Engine: Change oil and oil filter.</p>	----- Engine 177 Engine 256 Engine 264 Engine 274.910; engine 274.920 except code M005 (4MATIC) Engine 274.920 with code M005 (4MATIC) Engine 276 Engine 642.855 Engine 642.873 Engine 654 Engine 656 with code M005 (4MATIC) Engine 656 except code M005 (4MATIC)	AP18.00-P-0101DD AP18.00-P-0101MRT AP18.00-P-0101E AP18.00-P-0101CWI AP18.00-P-0101CWE AP18.00-P-0101CWZ AP18.00-P-0101EWR AP18.00-P-0101EWO AP18.00-P-0101FA AP18.00-P-0101OIA AP18.00-P-0101OIB
<input type="checkbox"/>	<input type="checkbox"/>	<p><b>Engine compartment</b> Service 4 Every 2 years</p> <p>Brake system: Replace brake fluid.</p>	-----	AP42.00-P-4280C
<input type="checkbox"/>	<input type="checkbox"/>	<p><b>Engine compartment</b> Service 8 every 50,000 km (31,000 mi)/3 years</p> <p>Replace air filter element.</p>	----- Engine 177	AP09.10-P-0980K
<input type="checkbox"/>	<input type="checkbox"/>	<p><b>Underside of vehicle</b> Service 8 every 50,000 km (31,000 mi)/3 years</p> <p>Rear axle: Change oil.</p>	----- With code 467 (Electronic locking differential) with code 807 (Model year 2017)	AP35.00-P-3501CMH

			With code 467 (Electronic locking differential) except code 807 (Model year 2017) With code 471 (Manual locking differential)	AP35.00-P-3501D AP35.00-P-3501CMG
<input type="checkbox"/>	<input type="checkbox"/>	<b>Engine compartment</b> Service 8 every 75,000 km (46,500 mi)/3 years Replace air filter element.	----- Engine 256.9 Engine 264 Engine 274 Engine 276 Engine 642 Engine 654, 656	AP09.10-P-0980L AP09.10-P-0980EWO AP09.10-P-0980CWG AP09.10-P-0980E AP09.10-P-0980GZB AP09.10-P-0980J
<input type="checkbox"/>	<input type="checkbox"/>	<b>Vehicle interior</b> Service 10 every 50,000 km (31,000 mi)/3 years Panoramic sliding sunroof: Clean and lubricate guide mechanism.	----- With code 413 (Panoramic sliding sunroof)	AP77.20-P-7732A
<input type="checkbox"/>	<input type="checkbox"/>	<b>Engine compartment</b> Service 11 every 75,000 km (46,500 mi)/3 years Replace fuel filter.	----- Engine 642	AP47.20-P-0780EWO
<input type="checkbox"/>	<input type="checkbox"/>	<b>Underside of vehicle</b> Service 11 every 75,000 km (46,500 mi)/3 years Replace fuel filter.	----- Engine 654, 656	AP47.20-P-0780F
<input type="checkbox"/>	<input type="checkbox"/>	<b>Vehicle interior</b> Service 11 every 200,000 km (124,000 mi)/10 years Replace fuel filter.	----- Engine 177, 256.9, 264, 274, 276.8	AP47.20-P-0780D
<input type="checkbox"/>	<input type="checkbox"/>	<b>Engine compartment</b> Service 12 every 75,000 km (46,500 mi)/3 years Replace spark plugs.	----- Engine 177 Engine 256.9 Engine 264 Engine 274 Engine 276	AP15.10-P-1580C AP15.10-P-1580E AP15.10-P-1580MCU AP15.10-P-1580CWF AP15.10-P-1580D
<input type="checkbox"/>	<input type="checkbox"/>	<b>Underside of vehicle</b> Service 13 every 200,000 km (124,000 mi)/10 years Replace coolant in main circuit.	----- Engine 177, 256, 264, 274, 276.8, 642, 654, 656	AP20.00-P-2082G
<input type="checkbox"/>	<input type="checkbox"/>	Replace coolant for low-temperature circuit.	----- Engine 177 Engine 256.9 Engine 264 Engine 274 in model 213.050/053 Engine 276.8 Engine 642	AP20.00-P-2083C AP20.00-P-2083D AP20.00-P-2083K AP20.00-P-2083E AP20.00-P-2083I AP20.00-P-2083F
	<input type="checkbox"/>	<b>Vehicle exterior</b> Service 15 At every Service B Trailer hitch: Check condition and operation.	----- With code 550 (Trailer hitch)	AP31.11-P-3152A
<input type="checkbox"/>	<input type="checkbox"/>	<b>Underside of vehicle</b> Service 20 every 50,000 km (31,000 mi)/3 years Automatic transmission: Change oil and oil filter.	----- Transmission 725.092/096 with code M005 (4MATIC)	AP27.00-P-2702B

<input type="checkbox"/>	<input type="checkbox"/>	<b>Underside of vehicle</b> Service 20 every 125,000 km (77,500 mi) Automatic transmission: Change oil and oil filter.	----- Transmission 725.0 (except 725.007/017) except code M005 (4MATIC) Transmission 725.007/017	AP27.00-P-2702B  AP27.00-P-2702BE
<input type="checkbox"/>	<input type="checkbox"/>	Automatic transmission and transfer case: Change oil and automatic transmission oil filter.	----- Transmission 725.0 (except 725.092/096) with code M005 (4MATIC) Automatic transmission Transfer case	AP27.00-P-2702B AP28.00-P-2801A
<input type="checkbox"/>	<input type="checkbox"/>	<b>Engine compartment</b> Service 26 every 125,000 km (77,500 mi)/5 years Evacuate and refill A/C refrigerant.	----- With code 1U6 (Refrigerant R744)	AR83.30-P-1760LW
<input type="checkbox"/>	<input type="checkbox"/>	<b>Underside of vehicle</b> Service 27 every 75,000 km (46,500 mi)/3 years Transfer case: Change oil.	----- Transmission 725.092/096	AP28.00-P-2801B

**Brake values**

	Left	Right
Front		
Rear		
Parking brake		

**Tire condition**

	Right front	Left front	Right rear	Left rear
Condition OK.				
Condition not OK.				

**Set tire pressure in bar or psi**

	Front axle	Rear axle	Spare wheel
bar/psi			