


Model 205.0/1/2, 213, 253
except code 555 (AMG-Performance Seat)
Model 293




P91.10-4055-09

Shown on model 213 with code 866 (Preinstallation for Rear Seat Entertainment system)

12 Flap
13 Cover

14 Long wedge



P91.18-2374-09

Shown on model 213 except code 432 (Left and right dynamic multicontour seat)


1 Cover

4 Tab

6 Terminal strip

Shown on model 213 with code 432 (Left and right dynamic multicontour seat) and with code 401 (Seat climate control for driver and front passenger)


- 15 Electrical connector
- 16 Electrical connector
- 17 Pneumatic line



P91.10-4082-11






Shown on model 213




- 1 Cover
- 8 Backrest padding
- 9 Catch hook
- 10 Staple wire







P91.18-2375-06

	Remove		
1	Remove seat backrest trim.		AR91.10-P-1912LW
2	Remove head restraint guides.		AR91.16-P-0050LW
3	Unlock flap (12) with a magnet, open and fix it in such a way that it remains open.	Model 205.0/1/2, 213, 253 with code 866 (Pre-installation for Rear Seat Entertainment System) except code 555 (AMG-Performance Seat) Model 293 with code 866 (Pre-installation for Rear Seat Entertainment System)	
4	Position long wedges (14) as shown, release the latch at right and left by applying a suitable screwdriver to the opening and remove the cover (13).	Model 205.0/1/2, 213, 253 with code 866 (Pre-installation for Rear Seat Entertainment System) except code 555 (AMG-Performance Seat) Model 293 with code 866 (Pre-installation for Rear Seat Entertainment System) ⚠ Position long wedges (14) carefully. Otherwise, the cover (1) may be damaged.	*115589035900
5	Unhook terminal strips (3).	☑ Long wedge ☑ Extraction hook	*140589023300


6	Unhook terminal strip (2).	 Dismantling tool	*205589026300
7	Unhook terminal strip (6).	 Extraction hook	*140589023300
8	Unhook terminal strips (7).	 Extraction hook	*140589023300
9	Unhook shackles (4) of cover (1).		
10	Unhook shackles (5) of cover (1).		
11	Disconnect electrical connector of seat backrest seat ventilation motors and expose electric line.	Model 205.0/1/2, 213, 253 with code 401 (Climatised front seats) except code 555 (AMG-Performance Seat) Model 293 with code 401 (Climatised front seats)	
12	Disconnect electrical connector (15), remove from seat backrest frame and expose respective electric line.	Model 205.0/1/2, 213, 253 with code 401 (Climatised front seats) except code 555 (AMG-Performance Seat) Model 205.0/1/2, 213, 253 with code 873 (Left and right driver's seat heating) except code 555 (AMG-Performance Seat) Model 213 with code 902 (Seat heater Plus for driver and front passenger) except code 555 (AMG-Performance Seat) Model 293 with code 401 (Climatised front seats) Model 293 with code 873 (Left and right driver's seat heating)	
13	Disconnect electrical connector (16), remove from seat backrest frame and expose respective electric line.	Model 205.0/1/2, 253 with code 409 (Left and right front multicontour seat) except code 555 (AMG-Performance Seat) Model 213 with code 432 (Dynamic seats left and right) except code 555 (AMG-Performance Seat) Model 293 with code 409 (Left and right front multicontour seat)	
14	Open and expose pneumatic line (17) at connecting point.	Model 205.0/1/2, 253 with code 409 (Left and right front multicontour seat) except code 555 (AMG-Performance Seat) Model 213 with code 432 (Dynamic seats left and right) except code 555 (AMG-Performance Seat) Model 293 with code 409 (Left and right front multicontour seat)	
15	Slip cover (1) forwards in lower area, as shown.		
16	Unclip staple wires (10) from catch hooks (9).	 Dismantling tool	*205589036300
17	Remove seat backrest padding (8) with cover (1) from seat backrest frame.		
18	Remove seat ventilation motors.	Model 205.0/1/2, 213, 253 with code 401 (Climatised front seats) except code 555 (AMG-Performance Seat) Model 293 with code 401 (Climatised front seats) When replacing seat backrest padding (8).	AR91.30-P-1900LW
19	Remove cover (1).	When replacing seat backrest padding (8). Model 205.0/1/2 except code 555 (AMG-Performance Seat) Model 253 except code 555 (AMG-Performance Seat) Model 293 Model 213 except code 555 (AMG-Performance Seat)	AR91.18-P-1820LW AR91.18-P-1822LWE
	Install		
20	Attach cutout for universal holder to seat backrest padding (8).	Model 205.0/1/2, 213, 253 with code 866 (Pre-installation for Rear Seat Entertainment System) except code 555 (AMG-Performance Seat) Model 293 with code 866 (Pre-installation for Rear Seat Entertainment System) When replacing seat backrest padding (8).	AR91.10-P-1120-01LWE

21	Install new heat mat.	Model 205.0/1/2, 213, 253 with code 401 (Climatised front seats) except code 555 (AMG-Performance Seat) Model 205.0/1/2, 213, 253 with code 873 (Left and right driver's seat heating) except code 555 (AMG-Performance Seat) Model 213 with code 902 (Seat heater Plus for driver and front passenger) except code 555 (AMG-Performance Seat) Model 293 with code 401 (Climatised front seats) Model 293 with code 873 (Left and right driver's seat heating) When replacing seat backrest padding (8).	AR91.30-P-0014LW
22	Install cover (1).	When replacing seat backrest padding (8). Model 213 except code 555 (AMG-Performance Seat) Model 205.0/1/2 except code 555 (AMG-Performance Seat) Model 253 except code 555 (AMG-Performance Seat) Model 293	AR91.18-P-1822LWE AR91.18-P-1820LW
23	Install seat ventilation motors.	Model 205.0/1/2, 213, 253 with code 401 (Climatised front seats) except code 555 (AMG-Performance Seat) Model 293 with code 401 (Climatised front seats) When replacing seat backrest padding (8).	AR91.30-P-1900LW
24	Align seat backrest padding (8) with cover (1) on seat backrest frame.		
25	Clip staple wires (10) into catch hooks (9).	 Dismantling tool	*205589036300
26	Slip cover (1) rearwards in lower area.		
27	Route pneumatic line (17) and connect to connecting point.	Model 205.0/1/2, 253 with code 409 (Left and right front multicontour seat) except code 555 (AMG-Performance Seat) Model 213 with code 432 (Dynamic seats left and right) except code 555 (AMG-Performance Seat) Model 293 with code 401 (Climatised front seats)	
28	Route multicontour seat electric line, fix in place on seat backrest frame and connect electrical connector (16).	Model 205.0/1/2, 253 with code 409 (Left and right front multicontour seat) except code 555 (AMG-Performance Seat) Model 213 with code 432 (Dynamic seats left and right) except code 555 (AMG-Performance Seat) Model 293 with code 409 (Left and right front multicontour seat)	
29	Route electric line of seat heating, fix in place on seat backrest frame and connect electrical connector (15).	Model 205.0/1/2, 213, 253 with code 401 (Climatised front seats) except code 555 (AMG-Performance Seat) Model 205.0/1/2, 213, 253 with code 873 (Left and right driver's seat heating) except code 555 (AMG-Performance Seat) Model 213 with code 902 (Seat heater Plus for driver and front passenger) except code 555 (AMG-Performance Seat) Model 293 with code 401 (Climatised front seats) Model 293 with code 873 (Left and right driver's seat heating)	
30	Route electric line of seat ventilation motors for seat backrest, fix in place and connect its electrical connector.	Model 205.0/1/2, 213, 253 with code 401 (Climatised front seats) except code 555 (AMG-Performance Seat) Model 293 with code 401 (Climatised front seats)	
31	Hook in shackles (5) of cover (1).		
32	Hook in shackles (4) of cover (1).		
33	Hook in terminal strips (7).	 Extraction hook	*140589023300
34	Hook in terminal strip (6).	 Extraction hook	*140589023300


35	Hook in terminal strip (2).	 Dismantling tool	*205589026300
36	Hook in terminal strips (3).	 Extraction hook	*140589023300
37	Install cover (13).	<p>Model 205.0/1/2, 213, 253 with code 866 (Pre-installation for Rear Seat Entertainment System) except code 555 (AMG-Performance Seat) Model 293 with code 866 (Pre-installation for Rear Seat Entertainment System)</p> <p> Ensure cover is correctly latched into place and free from any creases (1).</p>	
38	Install head restraint guides.		AR91.16-P-0050LW
39	Install seat backrest trim.		AR91.10-P-1912LW




Long wedge



Dismantling tool



Dismantling tool



Extraction hook