Document Number	SERVICE SHEET for Mercedes-Benz Maintenance System	10.9.15
P-2374-212-15B (09/15)	(USA)	10.9.15

MODEL 2	12.004/059/065/067/076//088/092/09	95/097/276/288 Mc	odel year 2015	
Modification	Notes			
- Wiedineauen	110.00			
	A-Service: At 10,000 miles or 1 year, then every 20,000 miles or 2 years			
	B-Service: At 20,000 miles or 2 years, then every 20,000 or 2 years			
Customer		Order Number:		
VIN/license	plate number:	Current mileage:		
Service Co	de:	Workshop code:		
Remaining	distance:	Remaining time:		
Oil type/vise	cosity:	Completion time/	date:	
Service cor	sultation performed at vehicle	Yes	No	
Notes/expla	anations:			
	ng activities are hereby confirmed: n of relevant service operations			
Signature: ₋		_		

212.004/059/065/067/0	76//088
/092/095/097/276/288	Model
year 2015	

Document Number	SERVICE SHEET for Mercedes-Benz Maintenance System	10.9.15
P-2374-212-15B (09/15)	(USA)	10.9.15

Α	В	Required Service	e Work		Input Condition N	lot OK:	\otimes	Doc Number
		Reset Maintenand in instrument clust					AP00.20-P-0042EW	
		Replace combinat	tion filter					AP83.00-P-8384EW
		Parking brake (fur	nction only)			\bigcirc	AP42.00-P-4290BA	
		Engine – oil and fi	lter change		Engine 157 Engine 276 Engine 651			AP18.00-P-0101EWG AP18.00-P-0101CWZ AP18.00-P-0101CWA
		Check condition o	f poly-V-belt				0	AP13.22-P-1352EW
	Fill up with DEF				Engine 651 with code U42 (BlueTEC diesel exhaust treatment (SCR)) Fill, subject to a separate invoice			AP14.40-P-1410BT
		Check starter usin DIAGNOSIS teste			E400 HYBRID ONLY		\bigcirc	AP15.30-P-1550AA
		Clean visible area	of water deflecto	or				AP82.35-P-8232A
		Check thickness of and rear	•			0	AP42.10-P-4253A	
		Check and correct all tire air pressures, including spare where applicable						AP40.15-P-P4061A
Tire inflation pressure (bar/psi)								
LF		RF		LR	RR			Spare
	Check DEF lines and components for leaks and damage			Engine 651 with (BlueTEC diesel treatment (SCR))	exhaust	0	AP00.20-P-0053EW	
		Check engine and components for le	aks				0	AP00.20-P-OO53EW
		Check condition a hitch	nd function of tra	iler	CODE 550 (traile	er hitch)		
		Inspect front axle rubber boots	ball joints and				0	AP33.20-P-3353EW
		Inspect driveshaft	flexible discs				0	AP41.10-P-4152EW
212.004/059/065/067/076//088 /092/095/097/276/288 Model year 2015								www.MBUSA.com 2

F		ment Number -212-15B (09/15)	SERVICE SHEET for Mercedes-Benz Maintenance System (USA)			10.9.15	
				(5 5: 1)			
		Inspect track rod a play, check boots	nd drag linkage for		0		AP46.00-P-4653EW
		Check catch, safet on engine hood for	y catch, and hinges proper operation			0	AP88.40-P-8851EW
		Check coolant level necessary		Observe correct coola composition	int	0	AH200.00-P-1142- 01CW
	Check power steering fluid level and correct if necessary			Except CODE 211 (Direct-Steer system)		AP46.00-P-5612EW	
		Check windshield will fluid, correct if necessity				0	AP82.35-P-8210EW
		Check brake fluid length	evel and correct if			0	AP42.10-P-4210EW
		Replace brake fluid	I				AP42.00-P-4280EW
		Replace wiper blac	les				
_					ı		
Required Additional Work						Doc I	Number
At 2,000 miles, then if more than 30,000 miles or 3 years since last replacement: Rear Axle differential fluid replacement		00 miles or 3 years replacement:	Code 471 (manual locking differential)			AP35.00-P-3501CMG	
If more than 30,000 miles or 3 years since last replacement: Replace air filter Automatic transmissionoil and filter change			Engine 157 Engine 157 with NAG2-V Sport and wet start-up clutch		AP09.10-P-0980MM AP27.00-P-2702W		
If more than 50,000 miles or 5 years since last replacement,			5				
Replace air filter			Engine 276, 278 Engine 651	Engine 276, 278 Engine 651		APO9.10-P-0980AB AP09.10-P-0980EWD	
Replace fuel filter Engine 651					AP47	7.20-P-0780EWD	
		e spark plugs 59/065/067/076//088					3
	2/095/0	097/276/288 Model year 2015					www.MBUSA.com

P-2374-212-15B (09/15) (USA)	Document Number P-2374-212-15B (09/15)	SERVICE SHEET for Mercedes-Benz Maintenance System (USA)	10.9.15
------------------------------	---	--	---------

			, 278		AP15	.10-P-1580EW	
If more than 60,000 miles or 6 years since last replacement:							
Automatic transmission- oil and filter change			Engine 276 model 212.095 Hybrid (transmission 724.2)			AP27	.00-P-2702A
Automatic transmission- oil and filter change			Engine 276, 651 (transmission 72 E400 HYBRID			AP27	.00-P-2702W
If more than 150,000 miles or 15 years since last replacement: Replace fuel filter		since last ent:	Engine 157, 276, 278			AP15.10-P-1580EW	
Replace coolant			observe correct coolant Composition			-00-P-2080EW	
Α	В	Recommended Se	ervice Work	Input Condition Not Ol	K:	\otimes	Doc Number
		Check horn				0	
		Check warning/indi	cator lamps			0	AP83.00-P-5451EW
		Check illumination	and interior lighting			0	AP83.00-P-5453EW
		Check all exterior li	ghts			0	AP82.10-P-8253EW
		Check trunk / cargo	area light			0	
		Check headlamp so necessary	etting, correct if				AP82.10-P-8260EW
		Check battery cond				0	AP54.10-U-5453A
		·	d buckles for proper			0	AP91.40-P-9150EW
<u> </u>	<u> </u>) -	1		1	I
212.004/059/065/067/076//088 /092/095/097/276/288 Model year 2015							www.MBUSA.com

Document Number SERVICE SHEET for N P-2374-212-15B (09/15)					ET for	Mercedes-Benz (USA)	Maintenance S	System	10.9.15
							-		
		Check windshield and headlamp washer system operation						0	AP82.30-P-8252EW
		Check, clean and lubricate tilt/sliding roof mechanism						0	
		Check, clearoof mecha		lubricate panora	amic	With CODE 41 sliding sunroof		0	AP77.20-p-7732EW
		Check for b	heck for body paint damage					0	AP98.00-P-9850EW
		Tire rotation (where applicable)							
		Check thickness of brake pads and discs, front and rear wheels removed			Pads Discs		0	AP42.10-P-4253A AP42.10-P-4258EW AP42.10-P-4258QQ	
		Visually inspect brake system components						0	
		Inspect tires for damage and measure remaining tread life					0	AP40.10-P-4051EW	
		Tread Depth (mm)						ı	
			LÈ		RF		LR		RR
		Outside							
		Center							
		Inside							
		Check TIREFIT tire sealant expiration date (where applicable)			ation			\bigcirc	AP40.10-P-4054R
		System (ref Manual)	fer to ve	sure Monitoring ehicle Operator'	's				
		Check chas components corrosion		d load bearing b Image and	ody			0	AP00.20-P-0090EW