smart, Sheets 235.71 up to 235.72

Major assembly	SAE grade	Sheet No.			
		235.71	235.72		
Automated manual transmission model 450, 452 with transmission 717.4		•			
Automated manual transmission model 451, 454 with transmission 717.4			•		

Passenger car, sheets 235.0 to 235.61

Major assembly	SAE grade		Sheet No.								
		235.0	235.1	235.7	235.1 0	235.1 5	235.6 1				
Front axle (4Matic)	85 W-90, 90	0		•							
Rear axle model series 251 2 WD (42)							•				
Rear axle (standard differential)	85 W-90, 90	0		•							
Rear axle AMG with differential lock Model 230.479	75W-140						•				
Model 204.077/277, 211.076/077/276/277, 219.376/377,											
230.470/472/474 with code 471/P30											
Model 171.473, 203.076/276, 209.377/477											
with differential lock (without code)											
Rear axle with differential lock, model 164 199	75W-85					•					
Differential with limited slip	85W-90			•							
Mechanical steering	85 W-90, 90	•									
Manual transmission as of transmission sequence number 7 340 241 (model designation 717.4 and 716.6)	75W-80W				•						
Manual transmission SG 150/180 (model designation 716.5)	75W-80W				•						

Passenger cars, cross-country vehicles and SUVs, sheets 236.1 up to 236.81

Major assembly	SAE grade	Sheet No.												
		236. 1	236. 2	236. 3	236. 6	236. 7	236. 8	236.8 1	236.9	236.1 0	236.1 2	236.1 3	236.1 4	236.2 0
Transfer case (4MATIC), model 124	ATF				•									
Transfer case (4MATIC), model 163, 210	ATF									•				
Transfer case (4MATIC), model 164, 251	ATF										•			

Create PDF31/with GO2PDF3167 freed, From Wish to remove this line, click here to buy Virtual PDF Printer

Transfer case (4MATIC), model 203, 211, 220	ATF											•		
Manual steering L 075 Z	ATF			•										
Power steering	ATF			•										
Manual transmission sheet 236.6 not for GL76/30-5, GL275E up to transmission sequence number 7 340 240 (model designation 717.4 (Mercedes transmission))	ATF		•		0									
MB 4 and 5-speed automatic transmission without regulated torque converter lockup clutch (KÜB) (model designation 722.3/4/5) sheet 236.8 only for arctic climate	ATF	•			•	•	0	•	•	•	0			
MB 5-speed automatic transmission with regulated torque converter lockup clutch (KÜB) for vehicles with rear wheel drive (model designation 722.6)	ATF									0	0		•	
MB 5-speed automatic transmission with regulated torque converter lockup clutch (KÜB) for vehicles with front wheel drive (model designation 722.7)	ATF									•				
MB 7-speed automatic transmission (model designation 722.9)	ATF												•	
MB F-continuously variable transmission (model designation 722.8)	ATF													•

Cross-country vehicle, Sheets 235.0 to 235.61

Major assembly	SAE grade	Sheet No.								
		235.0	235.1	235.7	235.1 0	235.11	235.6 1			
Axles	85 W-90, 90	•								
Manual transmission as of transmission sequence number 7 340 241	75W-80W				•					
Transfer case Not for transfer case (VG) 150 E	80, 80W 80W/85W i (In zones with hot climates SAE 90, 85W-90		•							

Transfer case VG 150 E	75W-90W			•	
Model 463.270/271	75W-140				•

Cross-country vehicle, sheets 236.1 to 236.12

Major assembly	SAE grade	Sheet No.										
		236.1	236.2	236.3	236.6	236.7	236.8	236.81	236.9	236.1 0	236.1 2	
Mechanical steering	ATF			•								
Power steering	ATF			•	•	•						
Manual transmission	ATF		•		0							