



GF54.15-P-1255-15GI	Fuse and relay box, fuses, relay holder	Fuse and module box in right front footwell	 GF
---------------------	---	---	--

Overview of fuse and relay module in right front footwell



P54.15-2486-12

Fuse	Clamp	Wire Identification	Color of fused wire	Fused function	Rating in amperes (A)
1	15r	2154	0,5 mm ² bl	AIRBAG OFF indicator lamp	7.5
2	15r	2161	1,5 mm ² pk	Front cigar lighter (with ashtray illumination)	Up to VIN A289564, X754619: 20
					As of VIN

					A289565, X754620: 15
3	15r	2162	0,75 mm2 gr	Tailgate wiper motor	15
4	30	2141	3,0 mm2 rt	Up to VIN A289564, X754619: E-Call control unit (USA only)	7.5
	30	2167	3,0 mm2 rt	As of VIN A289565, X754620: front blower motor	40
5	30	2155	1.5 mm2 red	Instrument cluster/air conditioning	Up to VIN A289564, X754619: 7.5
					As of VIN A289565, X754620: 15
6	30	2152	2.5 mm2 red	Interior socket	20
7				Not assigned	
8	15	2163	3.0 mm2 white	Left front seat heated cushion and right front seat heated cushion	Up to VIN A289564, X754619: 20
				Not assigned	As of VIN A289565, X754620
9				Not assigned	
10	30	2164	2.5 mm2 og	Left front seat adjustment switch	Up to VIN A289564, X754619: 30
					As of VIN A289565, X754620: 35
11	30	2165	2.5 mm2 og	Right front seat adjustment switch	Up to VIN A289564, X754619: 30
					As of VIN A289565,

					X754620: 35
13	30	2144	2,5 mm2 gn	Remove existing fuel pump with fuel level sensor (gasoline)	20
17	30	2166	2.5 mm2 pk	Heated rear window	25
19	30	2153	2,5 mm2 bl	HCS [SRA] pump	30
20	30	2169	1.0 mm2 white	Right high beam	As of VIN A289565, X754620: 7,5
21	30	2168	1.0 mm2 white	Left high beam/ high beam indicator	As of VIN A289565, X754620: 7,5
24	30	2170	2.5 mm2 red	Rear power window motors and voltage supply for lower control panel control unit	As of VIN A289565, X754620: 25
25	30	2171	2.5 mm2 red	Front power window motors and voltage supply for lower control panel control unit	As of VIN A289565, X754620: 25
26	30			Circuit 15 voltage supply	70