BF27.00-P-1000-01C Automatic transmission Transmission 722

ML320, W163, 722.662

Modification notes

6 0 00	Value abanged: Filling congeits: Considerations for	Transmission 722.500/501/502/503/	1
6.8.08	Value changed: Filling capacity, Specifications for Operating Fluids	117ansmission 722.500/501/502/503/ 504/505/506/507508/509// 510 Transmission 722.600/601604/605/606/607/608/ 609/611/613/614/616/617/618/619/	
		629/634/639/660/661/662/664/665/	
		689/695/696/699	
		Transmission 722.602/603/615 Transmissions 722.610/638 Transmissions 722.612/697/ 698 in model 202 Transmission 722.620/621 in model 129 Transmission 722.621 in model 202 Transmission 722.621 in model 202 Transmission 722.622/621 in model 140, transmission 722.622/623/ 624/625/626/627/628/ 630/631/632/633635/636// 663/666/669 Transmission 722.637 in model 461.302/331/332/342/345 Transmission 722.637 in model 463.322/323 Transmission 722.641 in model 170 Transmission 722.641 in model 170 Transmission 722.642 Transmission 722.645 in model 463 Transmission 722.646 Transmission 722.648 Transmission 722.648 Transmission 722.649 Transmission 722.649 Transmission 722.649 Transmission 722.649 Transmission 722.673 in model 163 Transmission 722.673 in model 163 Transmission 722.674 in model 163	
		Transmission 722.9 except 722.93/960/961/962/963/964/965	
		Transmission 722.93 Transmission 722.960/961/962/963/964/965	
	Value changed: Filling capacity,	Transmission 722.500/301/302/303/304/305 Transmission 722.500/501/502/503/ 504/505/506/507508/509/510 Transmission 722.600/601604/605/606/607/608/ 609/611/613/614/616/617/618/619/	
		629/634/639/660/661 <mark>/662</mark> /664/665/	
		689/695/696/699	
		Transmission 722.602/603/615 Transmissions 722.610/638 Transmission 722.620/621 in model 129 Transmission 722.620/621 in model 140, transmission 722.622/623/624/625/626/627/628/ 630/631/632/633635/636/663/666/669	
		Transmission 722.637 in model 461.302/331/332/342/345 Transmission 722.637 in model 463.322/323 Transmission 722.640/644 Transmission 722.642 Transmission 722.646 Transmission 722.648 Transmission 722.649 Transmission 722.667/668/672/676/690 Transmission 722.671/675/677	

□Automatic transmission

Number	Designation	Transmission 722.500/501/502/503/	Transmission 722.600/601/604/605/
		504/505/506/507/508/	606/607/608/609/611/
		509/510	613/614/616/617/618/
			619/629/634/639/660/
			661 <mark>/662</mark> /664/665/689/
			695/696/699

BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	7.3	7.5 (+0.5)
		during oil change	Liters	6,2	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14A	BB00.40-P-0236-14A
			Sheet	-	-

Automatic transmission

Number	Designation	on		Transmission 722.602/603/615	Transmissions 722.610/638	Transmission 722.612/697/ 698 in model 202
BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	7,0 (+0,5)	8,0	7.37.7
		during oil change	Liters	-	-	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A
			Sheet	-	-	-

Automatic transmission

Number	Designati	ion		Transmission 722.620/621 in model 129	Transmission 722.621 in model 202
BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	8,2 (+0,5)	8.58.9
		during oil change	Liters	-	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A
			Sheet	-	-

≅Automatic transmission

Number	Designation	Transmission 722.620/621	Transmission 722.637 in model	Transmission 722.637 in
		in model 140,	461.302/331/332/	model
		transmission	342/345	463.322/323
		722.622/623/		
		624/625/626/627/628/		
		630/631/632/633/635/		
		636/663/666/669		

BF27.00-P-1001-010	Filling capacity	Initial charge	Liters	8,6 (+0,5)	7.9	7.9
	Ì	during oil change	Liters	-	-	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14A	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A
			Sheet	-	-	-

≅Automatic transmission

Number	Designation	on		Transmissions 722.640/644	Transmission 722.641 in model 170	Transmission 722.642
BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	7.5	7.37.7	7.3 (+0.5)
		during oil change	Liters	-	-	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A
			Sheet	-	-	-

Automatic transmission

Number	Designation	on		Transmission 722.643	Transmission 722.645 in model 463	Transmission 722.646
BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	8.7	8.89.2	8.3
		during oil change	Liters	-	-	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A
			Sheet	-	-	-

≅Automatic transmission

Number	Designation	on		Transmission 722.648	Transmission 722.649
BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	8	7.5
		during oil change	Liters	5	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A
			Sheet	-	-

Number	Designation	on		Transmission 722.667/668/672 /676/690
BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	9
		during oil change	Liters	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14 A
			Sheet	-

≅Automatic transmission

Number	Designation	on		Transmission 722.671/675/677	Transmission 722.673 in model 163	Transmission 722.674 in model 163
BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	8.58.9	7.68.0	8.89.2
		during oil change	Liters	-	-	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A
			Sheet	-	-	-

Automatic transmission

Number	Designati	on		Transmission 722.7
BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	6,3
		during oil change	Liters	3.3
		Specifications for Operating Fluids	Sheet	-
			Sheet	BB00.40-P-0236-10 A

Automatic transmission

Number	Designation	Transmissions 722.9	Transmission 722.93	Transmission 722.960/961/
		except		962/963/964/965
		722.93/960/961/		
		962/963/964/		
		965		
	1		•	
	ł		•	•

BF27.00-P-1001-01C	Filling capacity	Initial charge	Liters	9	7.1	9,7
		during oil change	Liters	-	-	-
		Specifications for Operating Fluids	Sheet	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A	BB00.40-P-0236-14 A
			Sheet	-	-	-