

Datacard

Identification number: WDB1714452F215880 8

Chassis

Sales designation: SLK 200 Kompressor
 Order number: 0 8 537 65207
 Delivery date: 24 11 2008

Paint code 1: 650U CALCITE WHITE - STANDARD FINISH
 Equipment: 817A LEATHER/NAPPA/SEMI-ANILINE - RED

Engine no.: 271954 31 178626
 Transmission: 722695 07 651496

SA code

| | |
|------|--|
| 205B | OWNERS MANUAL AND SERVICE RECORD - ENGLISH |
| 255B | No code designation available |
| 260 | TYPE DESTINATION ON TRUNK LID - ELIMINATION |
| 261 | TYPE DESIGNATION ON FENDER / SIDEWARD DELETION |
| 280 | LEATHER STEERING WHEEL AND LEATHER GEAR SHIFT KNOB |
| 283B | AIRBAGLABLE - ENGLISH |
| 285 | DRAFT STOP (FABRIC DESIGN) |
| 335B | INSTRUMENT CLUSTER/HU LANGUAGE - ENGLISH |
| 403 | AIRSCARF SYSTEM AT FRONT |
| 423 | 5-SPEED AUTOMATIC TRANSMISSION |
| 428 | STEER.WHEEL GEARSHIFT BUTTONS/SHIFT PADDLE PAINTED |
| 461 | INSTRUMENT WITH MILES IND. AND ENGLISH LEGEND |
| 512 | COMAND APS WITH DVD CHANGER |
| 523 | RADIO AUDIO 20 |

| | |
|------|--|
| 537L | GREAT BRITAIN AND NORTHERN IRELAND |
| 551 | BASIC ANTITHEFT ALARM SYSTEM (ATA) |
| 580 | AIR CONDITIONER |
| 5XXL | EUROPE |
| 613 | HEADLAMP LEFT-HAND TRAFFIC |
| 650U | CALCITE WHITE - STANDARD FINISH |
| 666 | PRODUCT PROT.F.TRANSPORT VEH. W/O TIE-DOWN HOOKS |
| 669 | SPARE WHEEL / FOLDING WHEEL |
| 673 | HIGH-CAPACITY BATTERY |
| 800A | LEATHER/NAPPA/SEMI-ANILINE |
| 809 | 722.6__ - 19960119 - AEJ 06/1/M/X |
| 809 | 171____ - 20050706 - AEJ 08/1 |
| 809 | 271.9__ - 20070405 - AEJ 08/1 |
| 817 | SIREN BRACKET FOR INCREASED THEFT PROTECTION |
| 817A | LEATHER/NAPPA/SEMI-ANILINE - RED |
| 873 | SEAT HEATER FOR LEFT AND RIGHT FRONT SEATS |
| 880 | CLOSING SYSTEM WITH INFRARED REMOTE CONTROL |
| 882 | SENSOR SYSTEM AND ANTITHEFT ALARM SYSTEM |
| 885 | HIGHTEN THEFT PROTECTION |
| 983 | COC PAPER EURO 4 TECHNOLOGY W/O REG. CERT. PART II |
| 989 | IDENTIFICATION LABEL UNDER WINDSHIELD |
| A22 | NEW CONVERTER GENERATION |
| F171 | SERIES PRODUCTION 171 |
| G695 | TRANSMISSION CODE VERSION 95 |
| GA | AUTOMATIC TRANSMISSION |
| H80 | TRIM PIECES - PLASTIC |
| HA | REAR AXLE |
| K13 | CONTROL CODE FOR SERVICE INTERVAL 25000 KM |
| M019 | SERVICE REPOSITIONED |
| M18 | DISPLACEMENT 1.8 LITER |
| M271 | R4-GASOLINE ENGINE M271 |
| N99 | CONTROL CODE BREMEN PLANT |
| R | RIGHT-HAND STEERING |
| R01 | SUMMER TIRES |
| R95 | 17" LT ALLOY WHEEL 5 DOUBLE-SPOKE DES. MIXED TIRES |
| V50 | SPEED + LOAD INDEX 91W |
| VL | FRONT AXLE HALF, LEFT |

VR

FRONT AXLE HALF, RIGHT