


	11	12	13	14	15	
						A
						B
						C
						D
						E
						F
						G
						H
						J
						K
						L
					PE 68,49-U-2000-99YC	
	11	12	13	14	15	

PE68.49-U-2000-60YC	Legend for wiring diagram of automatic dimming inside rear view mirror	MODEL 129	
---------------------	--	-----------	--

Item	Designation	Coordinates
E15	Dome lamp (with shut-off delay and reading lamp)	6L
F1	Fuse and relay box	2L
F1f18	Fuse 18	2K
H7	Automatic dimming inside rearview mirror (ADM)	4A 8A
H7h1	Sensor 1 (Daylight)	6B
M21/4	Electrically adjustable and heated left outside rearview mirror (with memory)	5L
M21/4h1	Day/night adjustment	4K
N7	Exterior lamp failure monitoring module	8L
N79	Garage door opener control module	2A
S16/10	Transmission range recognition switch (voltage coded)	9L
S16/10s1	Backup lamp switch	9L
W1	Main ground (behind instrument cluster)	2E
X18	Interior/taillamp harness connector	4H
X49/4	Backup lamp switch signal connector (ADM) (1-pole)	7G
Z3/29	Circuit 15 connector sleeve (fused)	1H
*U36	 PE82.30 Wipers	3K