

Models through 02/2002

Series



### 17 CEGINUS

EVO II wheel

8,25 J x 17 ET 34 · 245/45 R17

B6 647 0061

Sterling silver finish; for models through 06/98: FA 235/45; with 245/45 R17 some modification may be required

8,25 J x 17 ET 34 · 245/45 R17

B6 647 0084

High-sheen finish; not compatible with snow chains

Accessory wheels are only compatible with specified tire sizes and may require use of wheel bolts other than those originally supplied with the vehicle. Failure to use proper equipment could result in an accident or vehicle damage.

> WHEEL BOLTS: WHEEL LOCK:

B6 647 0133 B6 640 8233

### GENUINE MERCEDES-BENZ WHEELS

### Standard and additional designs



17 ALBALI

5-hole wheel

8.25 J x 17 ET 34 · 245/45 R17

B6 647 0541

High-sheen rim flange; for models up to 06/98: FA 235/45; with 245/45 R17 some modification may be required



17 SADOR

5-spoke wheel

8.25 J x 17 ET 34 · 245/45 R17

B6 647 0542

High-sheen finish; for models up to 06/98: FA 235/45; with 245/45 R17; some modification may be required



16 MONKAR

12-hole wheel

8 J x 16 ET 34 · 225/55 R16

B6 647 0095

High-sheen rim flange; not for SL600; vehicles without ESP only



16 ALAMAK

8-hole wheel

8 J x 16 ET 34 · 225/55 R16

B6 647 0016

Standard silver finish; not for SL600; vehicles without ESP only




For technical reasons and as a result of differences in local legislation, not every wheel model will be suitable for your particular vehicle. Ask your Mercedes-Benz dealer for the latest information on the wheel of your choice (see also page 4).

WHEEL BOLTS: WHEEL LOCK: B6 647 0133 B6 640 8233

Series

Models through 02/2002





### 18 STYLE I

AMG spoke wheel multi-piece

8.5 J x 18 ET 25 · 245/40 R18

B6 603 1003

High-sheen rim flange; for models through 06/98 only; modification of bodywork necessary

10 J x 18 ET 25 · RA 275/35 R18

B6 603 1004

High-sheen rim flange; modification of bodywork necessary



## 18 STYLE I

AMG spoke wheel multi-piece

8.5 J x 18 ET 25 · 245/40 R18

B6 603 1008

High-sheen rim flange; modification of bodywork necessary

9.5 J x 18 ET 23 · RA 275/35 R18

B6 603 1009

High-sheen rim flange; modification of bodywork necessary



# 18 STYLE II

AMG disc wheel

8 J x 18 ET 31 · 245/40 R18

B6 603 1007

High-sheen rim flange; for models through 06/98 only

9 J x 18 ET 35 · RA 275/35 R18

B6 603 1001

High-sheen rim flange; for models through 06/98 only

WHEEL BOLTS: WHEEL LOCK: B6 647 0133 B6 640 8233