
Model	230

with code 801 (Model year 2001) with code 802 (Model year 2002) with code 803 (Model year 2003) with code 804 (Model year 2004) with code 805 (Model year 2005) with code 806 (Model year 2006) with code 807 (Model year 2007) with code 808 (Model year 2008)

Service A
Service B
For every service (equipment specific)
Every 2 years
Every 3 years
Once at 3,000 km
Once at 60,000 km
Every 60,000 km
Every 60,000 km/4 years
Every 80,000 km/4 years
Every 90,000-110,000 km/4 years
Every 250.000 km/15 years



P00.00-4902-11

Customer	Order number	
/IN/license plate number	Current mileage	
Service code	Workshop code	
Remaining distance	Remaining time	
Dil type/viscosity	Completion time/date	
Service consultation performed at vehicle	Yes	No
Notes/explanations		
The following activities are hereby confirmed: Completion of relevant service operations		
Signature		

Α	В		Input condition not OK:	\otimes	
Compl	eted				
\boxtimes	\boxtimes				
•	•		,	•	
		Service reception The completely edited reception report for service on vehicle is available		0	
					AP00.20-P-0009Z

		To be performed by the Service Advisor (where market-specific conditions require). The service scope is only completely performed when all acceptance items and the maintenance items listed in the service sheet have been fully processed.		
	Brake system Perform brake test and enter the result in the table		0	AP42.00-P-4290BA
	Vehicle exterior Check exterior lights for proper operation		0	AF42.00-F-4290DA
	Check operation of headlamp range adjustment	Vehicles with Xenon headlamps or headlamp range controller on exterior lights switch	0	AP82.10-P-8252EW
	Check/correct headlamp adjustment		0	AP82.10-P-8250EW
		For vehicles with level control or Xenon headlamps, the adjustment of the headlamps is to be invoiced as an additional operation.		AP82.10-P-8260R
	Vehicle interior Sensotronic Brake Control (SBC™): Check acoustic warning system		0	AD54.00 D 5450A
	Sensotronic Brake Control (SBC™): Check hydraulic unit		0	AP54.30-P-5450A
	Replace activated charcoal dust filter			AP42.50-P-4259A
				AP83.00-P-8384R
	Engine compartment Check water drain in air-water duct		0	AP83.10-P-8353A
	Brake system: Check fluid level		0	
	Power steering: Check fluid level		0	AP42.10-P-4210Z
	Active Body Control (ABC): Check fluid leve	ıl	\bigcirc	AP46.00-P-4612SLC
	, ,	With code 487 (Active Body Control (ABC))	O	AP32.50-P-3213I
	Engine cooling system: Check coolant level and antifreeze content		\circ	
	and antineeze content	Engine 112, 113 Engine 272, 273 Engine 275 i Enter antifreeze content here:		AP20.00-P-2010Z AP20.00-P-2010RX AP20.00-P-2010H
	Check low-temperature circuit coolant level		0	
	Check all visible parts in engine compartment for damage and leaks	Engine 275 Model 230.476/477/479	0	AP20.30-P-2050SX AP00.20-P-0053H
	Engine: Change oil and filter	Except model 230.476/477/479		AP00.20-P-0055EW
		Engine 112 Engine 113.963 Engine 113.992/995 Engine 272 Engine 273 Engine 275.951/954 Engine 275.981		AP18.00-P-0101AE AP18.00-P-0101GH AP18.00-P-0101R AP18.00-P-0101PIT AP18.00-P-0101SX AP18.00-P-0101SLA AP18.00-P-0101SZ

		Check visible area of poly-V belt for wear		0	
	_		Engine 112, 113 Engine 272, 273 Engine 275		AP13.22-P-1352Z AP13.22-P-1352RX AP13.22-P-1352L
		Underside of vehicle			711 10.22 1 10022
		Check all visible parts of vehicle underside for damage and leaks		\circ	
		-	Model 230.476/477/479		AP00.20-P-0053H
			Except model 230.476/477/479 i The country-specific regulations		AP00.20-P-0054EW
			for mobility and body shell complaints apply.		
	П	Check track rod and drag link linkage for	1 117	0	
		play, check boots			AP46.00-P-4653F
		Check front axle ball joint for play, check		\circ	
		boots		•	AP33.20-P-3353BA
		Check condition of propeller shaft and flex disks		0	
		uisks			AP41.10-P-4152Z
		Vehicle interior			
		For every service (equipment specific) Replace battery for KEYLESS-GO key			
Ш	Ц	i topiaco sallo, i o i i a 12200 do ilo,	A6 10 15 151 151		
			After consultation with customer With code 889 (KEYLESS-GO)		
		Engine compartment Every 2 years			
П		Brake system: Replace brake fluid			
Ш	Ш				AD40.00 D.4000D
		Underside of vehicle		-	AP42.00-P-4280R
		Every 3 years			
		Replace main circuit coolant			
			Engine 275		AP20.00-P-2080H
		Underside of vehicle Once at 3,000 km			
П	П	Rear axle: Perform oil change			
_	_		With code 471 (Mechanical locking		AP35.00-P-3501CMG
			differential), except code P99("AMG Black Series" special model")		7
			With code 471 (Mechanical locking		AP35.00-P-3501RBS
			differential), with code P99 ("AMG Black Series" special model")		
		Underside of vehicle	1		
	_	Once at 60,000 km Automatic transmission: Carry out oil and			
Ш	Ш	filter change			
			Transmission 722.649 in model 230.### ## as from 096743		AP27.00-P-2702H
			Transmission 722.633/643/644 in model 230.### ## as from 096743		AP27.00-P-2702R
			Transmission 722.9		AP27.00-P-2702W
		Underside of vehicle Every 60,000 km			
П	П	Rear axle: Perform oil change			
ш			With code 471 (Mechanical locking		AP35.00-P-3501CMG
			differential), except code P99("AMĞ		74 00.001 00010IMC
			Black Series" special model") With code 471 (Mechanical locking		AP35.00-P-3501RBS
			differential), with code P99 ("AMG Black Series" special model")		
		Engine compartment	1 ,		
		Every 60,000 km/4 years Replace air filter element			
Ш		,	For air = 440,000/005		
			Engine 113.992/995		
		Compressor: Replace poly-V belt			
		1			

			Engine 113.992/995	AP13.22-P-1381R
П	П	Poly-V belt: Replace tensioning device		
_	_			1510 05 5 100011
			Engine 275	AP13.25-P-1382H
		Underside of vehicle Every 80,000 km/4 years		
		Replace fuel filter		
ш	-			
			Engine 112, 113, 275	AP47.20-P-0780DC
			Engine 272, 273	AP47.20-P-0780RX
		Engine compartment Every 80,000 km/4 years		
П	П	Replace air filter element		
_	_		Frair - 440, 440, 000, 070, 070, 075	
			Engine 112, 113.963, 272, 273, 275	
			Engine 272, 273	AP09.10-P-0980RX
			Engine 275	AP09.10-P-0980H
		Engine compartment Every 90,000-110,000 km/4 years		
		Replace spark plugs		
			Engine 112, 113	AP15.10-P-1580AB
			Engine 112, 113 Engine 272, 273	AP15.10-P-1580RX
			Engine 275	AP15.10-P-1580L
		Underside of vehicle	Liigilie 273	AI 13.10-1 - 1300E
		Every 250.000 km/15 years		
	ПП	Replace main circuit coolant		
	-			
			Engine 112, 113	AP20.00-P-2080DA
			Engine 272, 273	AP20.00-P-2080RX
	П	Replace low-temperature circuit coolant		
_	_			
			Engine 275	AP20.00-P-2080H

Brake values

	Left	Right
Front		
Rear		
Parking brake		