




Document number: pe00.19-p-2300-97kk

Document title: Wiring diagram for interior compartment CAN bus

Code:	Designation:	Position:
A0	Color code key	
A37	PSE control unit (combined)	32L
A40/3	COMAND operating, display and control unit	21L
CAN B	Interior CAN	
Code 403	AIRSCARF system	
Code 470	Tire pressure monitor (standard)	
Code 475	Tire pressure monitor	
Code 889	KEYLESS-GO	
N10/8	Rear SAM control unit	14L
N145	AMG DRIVE UNIT control unit	39L
N25/7	AIRSCARF control unit	28L
N52	RSC [UVS] control unit	10L
N62	PTS control unit	36L
N69/5	KEYLESS-GO control unit	17L
N82/1	Vehicle power supply control unit	6L
N88	TPM [RDK] control unit	25L
U1	Valid for USA	20G
U12	Valid for left-hand drive vehicles	1G
U13	Valid for right-hand drive vehicles	1G
U20	Valid for all (except USA Japan)	20G
U215	Valid for SL 65 AMG, code P99	5G
U215	Valid for SL 65 AMG, code P99	38G
U217	Not valid for SL 65 AMG, code P99	5G
U217	Not valid for SL 65 AMG, code P99	9G
U52	Valid for Japan	
U538	Valid for Parktronic System	34G
X30/15	Driver CAN B voltage distributor connector	3L
X30/16	Front passenger CAN B voltage distributor connector	3L
X30/17	Rear voltage distributor (CAN B) connector	4A
X30/17	Rear voltage distributor (CAN B) connector	12A
X30/17	Rear voltage distributor (CAN B) connector	20A
X30/17	Rear voltage distributor (CAN B) connector	28A
X30/17	Rear voltage distributor (CAN B) connector	36A







PE 00.19-P-2300-97KK

cut here