



Document number: pe00.19-p-2200-97ka
Document title: Wiring diagram for engine CAN bus

| Code: | Designation: | Position: |
|--------------|---|------------------|
| A0 | Color code key | |
| A1 | Instrument cluster | 32L |
| A89 | DTR control unit | 46L |
| N15/3 | ETC [EGS] control unit | 39L |
| N15/5 | Electronic selector lever module control unit | 24L |
| N15/6 | Automated manual transmission control unit | 35L |
| N3/10 | ME-SFI [ME] control unit | 10L |
| N3/10 | ME-SFI [ME] control unit | 13L |
| N3/10 | ME-SFI [ME] control unit | 17L |
| N47-5 | ESP, SPS [PML] and BAS control unit | 6L |
| N51/2 | ABC control unit | 28L |
| N63/1 | DTR control unit | 46L |
| N73 | EIS [EZS] control unit | 2L |
| N80 | Steering column module | 21L |
| N93 | Central gateway control unit | 50L |
| U12 | Valid for left-hand drive vehicles | 1F |
| U12 | Valid for left-hand drive vehicles | 4F |
| U12 | Valid for left-hand drive vehicles | 8F |
| U12 | Valid for left-hand drive vehicles | 12F |
| U12 | Valid for left-hand drive vehicles | 15F |
| U12 | Valid for left-hand drive vehicles | 19F |
| U12 | Valid for left-hand drive vehicles | 23F |
| U12 | Valid for left-hand drive vehicles | 26F |
| U12 | Valid for left-hand drive vehicles | 30F |
| U12 | Valid for left-hand drive vehicles | 34F |
| U12 | Valid for left-hand drive vehicles | 38F |
| U12 | Valid for left-hand drive vehicles | 49F |
| U127 | Valid for engine 272, engine 273 KE | 12F |
| U152 | Valid for engine 156 | 15F |
| U19 | Valid for M112.973, M113.963 | 8F |
| U425 | Valid for SL 55 AMG | |
| U428 | Valid for SL 65 AMG and SL 600 | |
| U490 | Valid for 7-speed automatic transmission | 41H |
| U491 | Not valid for 7-speed automatic transmission | 38H |
| U503 | Valid for ABC | 26F |
| U504 | Valid for DTR | 45F |
| U527 | Valid for electronic transmission control (ETC [EGS]) | 23F |
| U527 | Valid for electronic transmission control (ETC [EGS]) | 38F |
| U674 | Valid for automated manual transmission (SEQ) [ASG] | 34F |

Document number: pe00.19-p-2200-97ka
Document title: Wiring diagram for engine CAN bus


| Code: | Designation: | Position: |
|--------------|--|------------------|
| W56 | Left ground shielding, CAN bus | 3H |
| X30/18 | Left voltage distributor connector (CAN C) | 4A |
| X30/18 | Left voltage distributor connector (CAN C) | 12A |
| X30/18 | Left voltage distributor connector (CAN C) | 20A |
| X30/18 | Left voltage distributor connector (CAN C) | 28A |
| X30/18 | Left voltage distributor connector (CAN C) | 36A |
| X30/18 | Left voltage distributor connector (CAN C) | 44A |
| Y3/8 | Electric control unit (VGS) | 43L |







X30/18



Cut here

2.5 RDYE
Affix page here

