

Sheet1

Time	Calculated Load (%) [0 - 100]	Time	Coolant Temperature (F) [-40 - 419]
10:47:26.33	20	10:47:26.65	199
10:47:33.39	87	10:47:33.68	198
10:47:40.45	8	10:47:40.75	198
10:47:48.39	9	10:47:48.69	199
10:47:55.51	16	10:50:25.89	0.94
10:50:29.28	76	10:50:29.56	199
10:50:35.59	89	10:50:35.89	199
10:50:42.72	9	10:50:43.03	199
10:50:49.87	9	10:50:50.16	199
10:50:57.01	29	10:50:57.31	199
10:51:04.94	19	10:51:05.23	199

Sheet1

Time	Short Term FT B1 (%) [-100.00 - 99.22]	Time
10:47:26.94	3.9	10:47:27.24
10:47:33.95	0	10:47:34.24
10:47:41.06	0	10:47:41.37
10:47:48.95	0	10:47:49.24
10:50:26.47	4	10:50:26.78
10:50:29.87	0	10:50:30.16
10:50:36.19	0	10:50:36.51
10:50:43.35	0	10:50:43.64
10:50:50.48	0	10:50:50.77
10:50:57.62	0	10:50:57.92
10:51:05.53	2.34	10:51:05.84

Sheet1

Long Term FT B1 (%) [-100.00 - 99.22]	Time	Short Term FT B2 (%) [-100.00 - 99.22]
4.68	10:47:27.54	1.56
2.34	10:47:34.56	0
4.68	10:47:41.67	0
4.68	10:47:49.53	0
0.77	10:50:27.08	0
2.34	10:50:30.48	0
4.68	10:50:36.81	0
4.68	10:50:43.96	0
4.68	10:50:51.08	15.6
4.68	10:50:58.21	3.9
4.68	10:51:06.14	0

Sheet1

Time	Long Term FT B2 (%) [-100.00 - 99.22]	Time
10:47:27.82	3.9	10:47:28.10
10:47:34.84	1.56	10:47:35.13
10:47:41.95	3.9	10:47:42.25
10:47:49.81	3.9	10:47:50.12
10:50:27.37	0.17	10:50:27.68
10:50:30.77	1.56	10:50:31.07
10:50:37.12	3.12	10:50:37.42
10:50:44.25	3.12	10:50:44.53
10:50:51.37	3.12	10:50:51.68
10:50:58.53	3.12	10:50:58.84
10:51:06.40	3.12	10:51:06.70

Sheet1

Intake Man. Abs. Pres. (in.hg) [0.0 - 75.2]	Time	Engine RPM (r/min) [0 - 9000]	Time
12.1	10:47:28.39	584	10:47:28.67
40.7	10:47:35.43	5732	10:47:35.73
5.9	10:47:42.54	3075	10:47:42.84
6.5	10:47:50.42	1741	10:47:50.72
99.06	10:50:28.00	0.71	10:50:28.29
34.5	10:50:31.37	4803	10:50:31.65
5.6	10:50:37.72	3966	10:50:38.00
5.9	10:50:44.84	2633	10:50:45.13
8.6	10:50:51.97	2067	10:50:52.25
17.7	10:50:59.91	2067	10:51:00.19
10.9	10:51:07.03	1362	10:51:07.32

Sheet1

Vehicle Speed (MPH) [0 - 158]	Time	Ign. Timing Adv. C1 (deg) [-64.0 - 63.5]	Time
0	10:47:28.96	-16.5	10:47:29.24
75	10:47:36.01	-26.5	10:47:36.29
62	10:47:43.12	-24	10:47:43.42
35	10:47:51.01	-19.5	10:47:51.31
-2.34	10:50:28.62	0.18	10:50:28.92
37	10:50:31.93	-19	10:50:32.21
80	10:50:38.28	-28.5	10:50:38.56
53	10:50:45.42	-22.5	10:50:45.70
41	10:50:52.55	-29.5	10:50:52.85
47	10:51:00.48	-22.5	10:51:00.76
45			

Sheet1

Intake Air Temp. (F) [-40 - 419]	Time	MAF Air Flow Rate (lb/min) [0.00 - 86.70]	Time
95	10:47:29.53	7.01	10:47:29.81
126	10:47:36.60	17.41	10:47:36.90
118	10:47:44.51	17.41	10:47:44.80
109	10:47:52.39	0	10:47:52.67
99.06			
102	10:50:32.50	33.81	10:50:32.80
127	10:50:38.87	3.25	10:50:39.15
115	10:50:46.00	2.07	10:50:46.28
109	10:50:53.92	2.07	10:50:54.20
104	10:51:01.07	2.76	10:51:01.35

Sheet1

Abs. Throttle Pos. (%) [0 - 100]	Time	B1S1 O2 Voltage (V) [0.000 - 1.275]	Time
68	10:47:30.13	0.74	10:47:31.20
16	10:47:37.19	0.62	10:47:37.50
7	10:47:45.10	0	10:47:45.41
4	10:47:52.98	0	10:47:53.29
99	10:50:33.10	0.89	10:50:33.39
10	10:50:39.45	0	10:50:39.76
7	10:50:46.58	0	10:50:46.89
14	10:50:54.52	0.85	10:50:54.81
9	10:51:01.65	0.7	10:51:01.96



Sheet1

B1S1 O2 Fuel Trim (%) [-100.00 - 99.22]	Time	B1S2 O2 Voltage (V) [0.000 - 1.275]	Time
0	10:47:31.48	0.93	10:47:31.79
0	10:47:37.80	0.91	10:47:38.11
0	10:47:46.51	0.91	10:47:46.82
0	10:47:53.59	0	10:47:53.90
0	10:50:33.71	0.93	10:50:34.02
0	10:50:40.06	0	10:50:40.37
0	10:50:47.20	0	10:50:48.29
4.68	10:50:55.11	0.85	10:50:55.44
-6.24	10:51:03.03	0.85	10:51:03.35

Sheet1

B1S2 O2 Fuel Trim (%) [-100.00 - 99.22]	Time	B2S1 O2 Voltage (V) [0.000 - 1.275]	Time
99.06	10:47:32.11	0.88	10:47:32.42
99.06	10:47:38.42	0.88	10:47:38.74
99.06	10:47:47.11	0.01	10:47:47.41
99.06	10:47:54.21	0.75	10:47:54.52
99.06	10:50:34.33	0.9	10:50:34.64
99.06	10:50:40.68	0	10:50:40.98
99.06	10:50:48.59	0	10:50:48.88
99.06	10:50:55.75	0.12	10:50:56.06
99.06	10:51:03.66	0.12	10:51:03.97

Sheet1

B2S1 O2 Fuel Trim (%) [-100.00 - 99.22]	Time	B2S2 O2 Voltage (V) [0.000 - 1.275]	Time
0	10:47:32.73	0.93	10:47:33.03
0	10:47:39.80	0.93	10:47:40.11
0	10:47:47.74	0	10:47:48.03
15.6	10:47:54.85	0.08	10:47:55.15
0	10:50:34.94	0.93	10:50:35.27
0	10:50:41.29	0	10:50:42.38
0	10:50:49.20	0	10:50:49.52
0.78	10:50:56.36	0.79	10:50:56.65
-1.56	10:51:04.27	0.73	10:51:04.58

B2S2 O2 Fuel Trim (%) [-100.00 - 99.22]

99.06

99.06

99.06

99.06

99.06

99.06

99.06

99.06

99.06