










- Parts list -

Mode	MD mode	Mod. des. overview	STATION WAGONUP TO IDENT NO. F 122358 EXCEPT FOR F 107945,F 112070,F 112408,F 112
FIN/MD	124090	Catalog	506 -Up to 09/89
VIN		Major assembly:	
Sales designation	300 TE	Major assembly MD	
Assortment class	Car	Group	35 - REAR AXLE
Market	Europe	Subgroup	015 - REAR AXLE HOUSING WITH DIFFERENTIAL

Item no.	Part number	Designation/description	Quantity	Version
5	A 124 350 22 03	AXLE HOUSING REAR AXLE HOUSING WITH DIFFERENTIAL 1:3.27  [013, 697] Up to ident. no.: F 084207	001	
5	A 124 350 23 03	AXLE HOUSING REAR AXLE HOUSING WITH DIFFERENTIAL ABS 1:3.27  [008, 697] Up to ident. no.: F 005649	001	
5	A 124 350 86 03	AXLE HOUSING Replaced by: A 124 350 23 74	-	
5	A 124 350 23 74	AXLE HOUSING REAR AXLE HOUSING WITH DIFFERENTIAL ABS 1:3.27  [009, 697] As of ident. no. F 005650	001	
5	A 124 350 09 62	AXLE HOUSING Replaced by: A 124 350 47 74	-	
5	A 124 350 47 74	AXLE HOUSING Replaced by: A 124 350 62 14	-	


5	A 124 350	HOUSING	001
	62 14	REAR AXLE HOUSING WITH DIFFERENTIAL ASD 1:3.27 ☐ [100, 697] PLEASE MIND MODIFIED ARRANGEMENT OF LINES	
8	A 124 350	. AXLE HOUSING	-
	45 20	Replaced by: A 124 351 19 01	
8	A 124 351	. AXLE HOUSING	-
	19 01	Replaced by: A 124 351 05 05	
8	A 124 351	. HOUSING	001
	05 05	☐ [013, 019, 023] Up to ident. no.: F 084207	
8	A 124 350	. AXLE HOUSING	001
	37 20	☐ [008, 020] Up to ident. no.: F 005649	
8	A 124 350	. AXLE HOUSING	-
	39 03	Replaced by: A 124 351 25 01	
8	A 124 351	. AXLE HOUSING	-
	25 01	Replaced by: A 124 351 06 05	
8	A 124 351	. HOUSING	001
	06 05	☐ [009, 020, 024] As of ident. no. F 005650	
11	A 186 997	. . SCREW PLUG	002
	00 32		
DIFFERENTIAL GEAR			
14	A 124 350	. DIFFERENTIAL GEAR	001
	63 23	LESS RING GEAR AND PINION ☐ [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
14	A 124 350	. DIFFERENTIAL GEAR	001
	93 23	LESS RING GEAR AND PINION ☐ [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
BREAK-DOWN OF DIFFERENTIAL GEAR			
17	A 115 353	. . THRUST WASHER	002
	12 62	AS REQUIRED 1.25 MM ☐ [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
17	A 115 353	. . THRUST WASHER	002
	11 62	AS REQUIRED 1.30 MM ☐ [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	

17	A 115 353	..	THRUST WASHER	002
	16 62		AS REQUIRED 1.35 MM	
			<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
17	A 115 353	..	THRUST WASHER	002
	10 62		AS REQUIRED 1.40 MM	
			<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
17	A 115 353	..	THRUST WASHER	002
	17 62		AS REQUIRED 1.45 MM	
			<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
17	A 115 353	..	THRUST WASHER	002
	09 62		AS REQUIRED 1.50 MM	
			<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
17	A 115 353	..	THRUST WASHER	002
	18 62		AS REQUIRED 1.55 MM	
			<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
17	A 115 353	..	THRUST WASHER	002
	08 62		AS REQUIRED 1.60 MM	
			<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
17	A 115 353	..	THRUST WASHER	002
	19 62		AS REQUIRED 1.65 MM	
			<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
17	A 124 353	..	THRUST WASHER	-
	16 62		Replaced by: A 124 353 70 62	
17	A 124 353	..	THRUST WASHER	002
	70 62		AS REQUIRED 2.8 MM	
			<input type="checkbox"/> [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	17 62		Replaced by: A 124 353 69 62	
17	A 124 353	..	THRUST WASHER	002
	69 62		AS REQUIRED 2.9 MM	
			<input type="checkbox"/> [011, 024] WITH LINING ON ONE SIDE	








17	A 124 353	..	THRUST WASHER	-
	18 62		Replaced by: A 124 353 68 62	
17	A 124 353	..	THRUST WASHER	002
	68 62		AS REQUIRED 3.0 MM	
			 [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	19 62		Replaced by: A 124 353 67 62	
17	A 124 353	..	THRUST WASHER	002
	67 62		AS REQUIRED 3.1 MM	
			 [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	20 62		Replaced by: A 124 353 66 62	
17	A 124 353	..	THRUST WASHER	002
	66 62		AS REQUIRED 3.2 MM	
			 [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	21 62		Replaced by: A 124 353 65 62	
17	A 124 353	..	THRUST WASHER	002
	65 62		AS REQUIRED 3.3 MM	
			 [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	22 62		Replaced by: A 124 353 64 62	
17	A 124 353	..	THRUST WASHER	002
	64 62		AS REQUIRED 3.4 MM	
			 [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	23 62		Replaced by: A 124 353 63 62	
17	A 124 353	..	THRUST WASHER	002
	63 62		AS REQUIRED 3.5 MM	
			 [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	24 62		Replaced by: A 124 353 62 62	

17	A 124 353	..	THRUST WASHER	002
	62 62		AS REQUIRED 3.6 MM	
			<input type="checkbox"/> [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	56 62		Replaced by: A 124 353 71 62	
17	A 124 353	..	THRUST WASHER	002
	71 62		AS REQUIRED 3.7 MM	
			<input type="checkbox"/> [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	57 62		Replaced by: A 124 353 72 62	
17	A 124 353	..	THRUST WASHER	002
	72 62		AS REQUIRED 3.8 MM	
			<input type="checkbox"/> [011, 024] WITH LINING ON ONE SIDE	
17	A 124 353	..	THRUST WASHER	-
	25 62		Replaced by: A 124 353 61 62	
17	A 124 353	..	THRUST WASHER	002
	61 62		AS REQUIRED 4.0 MM	
			<input type="checkbox"/> [011, 024] WITH LINING ON ONE SIDE	
20	A 115 353	..	SIDE GEAR	002
	03 15		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
20	A 124 353	..	SIDE GEAR	002
	05 15		<input type="checkbox"/> [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
23	A 107 353	..	DIFFERENTIAL PINION	002
	00 14			
26	A 115 353	..	SPHERICAL WASHER	002
	03 24			
29	A 124 353	..	PIN	001
	07 21		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
29	A 123 353	..	PIN	-
	01 21		Replaced by: A 124 353 10 21	

29	A 124 353	..	PIN	001
	10 21		<input type="checkbox"/> [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
32	N 001481	..	CLAMPING SLEEVE	001
	006007			
35	A 124 353	..	THRUST WASHER	008
	58 62		LESS LINING; WITH 5 SHACKLES <input type="checkbox"/> [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
38	A 124 353	..	THRUST WASHER	-
	26 62		Replaced by: A 124 353 73 62	
38	A 124 353	..	THRUST WASHER	008
	73 62		WITH LINING ON BOTH SIDES <input type="checkbox"/> [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
41	A 124 353	..	THRUST WASHER	002
	59 62		LESS LINING; W/4 SHACKLES & 2 NOTCHES <input type="checkbox"/> [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
44	A 124 350	.	RING GEAR AND PINION	-
	27 39		Replaced by: A 124 350 22 39	
44	A 124 350	.	RING GEAR AND PINION	-
	22 39		Replaced by: A 124 350 27 39	
44	A 124 350	.	RING GEAR AND PINION	001
	27 39		1:3.27 <input type="checkbox"/> [130] USE REAR AXLE OIL A 001 989 17 03	
47	A 126 353	.	GEAR	001
	00 85		29 TEETH <input type="checkbox"/> [020, 024] ONLY USED WITH ANTI-LOCK BRAKING SYSTEM (ABS)	
50	A 123 990	.	SCREW	-
	30 01		Replaced by: A 202 990 28 01	
50	A 202 990	.	SCREW	010
	28 01		RING GEAR TO DIFFERENTIAL CASE DIFFERENTIAL GEAR BEARING	

53	A 001 980	. TAPERED ROLLER BEARING	002
	21 02	RING GEAR BEARING	
56	A 123 994	. LOCK	002
	01 41	AS REQUIRED 3.60 MM	
56	A 123 994	. LOCK	002
	02 41	AS REQUIRED 3.70 MM	
56	A 123 994	. LOCK	002
	03 41	AS REQUIRED 3.80 MM	
56	A 123 994	. LOCK	002
	04 41	AS REQUIRED 3.85 MM	
56	A 123 994	. LOCK	002
	05 41	AS REQUIRED 3.90 MM	
56	A 123 994	. LOCK	002
	06 41	AS REQUIRED 3.95 MM	
56	A 123 994	. LOCK	002
	07 41	AS REQUIRED 4.00 MM	
56	A 123 994	. LOCK	002
	08 41	AS REQUIRED 4.05 MM	
56	A 123 994	. LOCK	002
	09 41	AS REQUIRED 4.10 MM	
56	A 123 994	. LOCK	002
	10 41	AS REQUIRED 4.15 MM	
56	A 123 994	. LOCK	002
	11 41	AS REQUIRED 4.20 MM	
56	A 123 994	. LOCK	002
	12 41	AS REQUIRED 4.30 MM	
56	A 123 994	. LOCK	002
	13 41	AS REQUIRED 4.40 MM	
56	A 124 994	. LOCK	002
	53 41	AS REQUIRED 4.50 MM	
56	A 124 994	. LOCK	002
	54 41	AS REQUIRED 4.60 MM	
59	A 124 353	. OIL COLLECTOR	002
	00 28	 [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
62	A 011 997	. SEAL RING	-
	88 47	Replaced by: A 014 997 61 47	
62	A 014 997	. SEAL RING	-
	61 47	Replaced by: A 020 997 23 47	
62	A 020 997	. SEAL RING	-
	23 47	Replaced by: A 022 997 98 47	




62	A 022 997 98 47	. SEAL RING INTERIOR FLANGE <input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	002
62	A 014 997 57 47	. SEAL RING INTERIOR FLANGE <input type="checkbox"/> [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	002
65	A 124 350 13 84	. RING CYLINDER Replaced by: A 124 350 15 84	-
65	A 124 350 15 84	. RING CYLINDER Replaced by: A 124 350 16 84	-
65	A 124 350 16 84	. RING CYLINDER LEFT <input type="checkbox"/> [010, 024] UP TO IDENT NO. ALSO APPLICABLE TO RIGHT SIDE	001
65	A 124 350 14 84	. RING CYLINDER Replaced by: A 124 350 17 84	-
65	A 124 350 17 84	. RING CYLINDER RIGHT <input type="checkbox"/> [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	001
68	A 124 353 00 89	. BOOT <input type="checkbox"/> [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	002
71	N 000912 008012	. SCREW RING CYLINDER TO REAR AXLE HOUSING	004
74	A 000 353 08 56	. VALVE Replaced by: A 000 353 09 56 +002 A 000 421 26 87	-
74	A 000 353 09 56	. VALVE BLEEDER VALVE <input type="checkbox"/> [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	001
77	A 000 421 08 87	. PROTECTIVE CAP Replaced by: A 000 421 71 87	-

77	A 000 421	. .	PROTECTIVE CAP	001
	71 87		 [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
105	A 124 350	.	REPAIR KIT	-
	40 98		Replaced by: A 124 350 53 98	
105	A 124 350	.	REPAIR KIT	001
	53 98		MOUNTING PARTS	
INTERIOR FLANGE				
107	A 124 350	.	FLANGE	-
	26 45		Replaced by: A 124 350 53 45	
107	A 124 350	.	FLANGE	-
	53 45		Replaced by: A 208 350 01 45 +002 A 022 997 98 47	
107	A 208 350	.	FLANGE	002
	01 45		INSIDE  [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
107	A 124 350	.	FLANGE	-
	37 45		Replaced by: A 124 350 58 45	
107	A 124 350	.	FLANGE	002
	58 45		INSIDE  [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
113	A 004 981	. .	BALL BEARING	002
	71 25		 [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
116	A 123 357	.	SPACER WASHER	002
	15 52		AS REQUIRED 0.70 MM  [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	.	SPACER WASHER	002
	14 52		AS REQUIRED 0.80 MM  [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	.	SPACER WASHER	002
	13 52		AS REQUIRED 0.85 MM  [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	

116	A 123 357	. SPACER WASHER	002
	12 52	AS REQUIRED 0.90 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	11 52	AS REQUIRED 0.95 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	10 52	AS REQUIRED 1.00 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	09 52	AS REQUIRED 1.05 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	08 52	AS REQUIRED 1.10 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	07 52	AS REQUIRED 1.15 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	06 52	AS REQUIRED 1.20 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	05 52	AS REQUIRED 1.25 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	04 52	AS REQUIRED 1.30 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	03 52	AS REQUIRED 1.35 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	

116	A 123 357	. SPACER WASHER	002
	02 52	AS REQUIRED 1.40 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
116	A 123 357	. SPACER WASHER	002
	01 52	AS REQUIRED 1.50 MM	
		<input type="checkbox"/> [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
119	A 115 994	. SNAP RING	002
	04 34		
		DRIVE PINION BEARING	
128	A 116 353	. SPACER WASHER	001
	11 52	AS REQUIRED 1.50 MM	
128	A 116 353	. SPACER WASHER	001
	20 52	AS REQUIRED 1.55 MM	
128	A 116 353	. SPACER WASHER	001
	21 52	AS REQUIRED 1.60 MM	
128	A 116 353	. SPACER WASHER	001
	22 52	AS REQUIRED 1.65 MM	
128	A 116 353	. SPACER WASHER	001
	23 52	AS REQUIRED 1.70 MM	
128	A 116 353	. SPACER WASHER	001
	24 52	AS REQUIRED 1.75 MM	
128	A 116 353	. SPACER WASHER	001
	25 52	AS REQUIRED 1.80 MM	
128	A 116 353	. SPACER WASHER	001
	26 52	AS REQUIRED 1.85 MM	
128	A 116 353	. SPACER WASHER	001
	27 52	AS REQUIRED 1.90 MM	
128	A 116 353	. SPACER WASHER	001
	28 52	AS REQUIRED 1.95 MM	
128	A 116 353	. SPACER WASHER	001
	29 52	AS REQUIRED 2.00 MM	
128	A 116 353	. SPACER WASHER	001
	30 52	AS REQUIRED 2.05 MM	
128	A 116 353	. SPACER WASHER	001
	31 52	AS REQUIRED 2.10 MM	
		<input type="checkbox"/> [402] NO LONGER AVAILABLE	
128	A 116 353	. SPACER WASHER	001
	32 52	AS REQUIRED 2.15 MM	
128	A 116 353	. SPACER WASHER	001
	33 52	AS REQUIRED 2.20 MM	

128	A 116 353	. SPACER WASHER	001
	34 52	AS REQUIRED 2.25 MM	
128	A 116 353	. SPACER WASHER	001
	35 52	AS REQUIRED 2.30 MM	
128	A 116 353	. SPACER WASHER	001
	36 52	AS REQUIRED 2.35 MM	
128	A 116 353	. SPACER WASHER	001
	37 52	AS REQUIRED 2.40 MM	
131	A 000 980	. TAPERED ROLLER BEARING	001
	84 02	DRIVE PINION	
134	A 108 353	. SPACER BUSHING	001
	00 42		
137	A 109 353	. THRUST WASHER	002
	10 62		
140	A 000 980	. TAPERED ROLLER BEARING	-
	33 02	Replaced by: A 002 980 11 02	
140	A 002 980	. TAPERED ROLLER BEARING	001
	11 02	DRIVE PINION	
143	A 126 353	. THRUST WASHER	001
	07 62		
146	A 002 997	. SEAL RING	-
	21 47	Replaced by: A 014 997 49 47	
146	A 014 997	. SEAL RING	-
	49 47	Replaced by: A 020 997 21 47	
146	A 020 997	. SEAL RING	-
	21 47	Replaced by: A 022 997 99 47	
146	A 022 997	. SEAL RING	001
	99 47	DRIVE PINION	
146	A 024 997	. SEAL RING	-
	42 47	Replaced by: A 025 997 00 47 +001 A 211 350 03 45	
146	A 025 997	. SEAL RING	001
	00 47	DRIVE PINION	
149	A 124 350	. FLANGE	-
	16 45	Replaced by: A 124 350 36 45	
149	A 124 350	. FLANGE	-
	36 45	Replaced by: A 124 350 40 45	
149	A 124 350	. FLANGE	-
	40 45	Replaced by: A 124 350 42 45	
149	A 124 350	. FLANGE	-
	42 45	Replaced by: A 124 350 68 45	

149	A 124 350	. FLANGE	-
	68 45	Replaced by: A 211 350 00 45 +002 A 022 997 99 47	
149	A 211 350	. FLANGE	-
	00 45	Replaced by: A 211 350 03 45 +001 A 025 997 00 47	
149	A 211 350	. FLANGE	001
	03 45	JOINT FLANGE 90 MM	
152	A 123 353	. NUT	001
	00 72	Replaced by: A 221 353 02 72	
152	A 221 353	. NUT	001
	02 72		
155	A 124 351	. COVER	001
	25 08	END COVER	
158	N 070614	. SCREW	-
	010028	Replaced by: N 304017 010040	
158	N 304017	. SCREW	008
	010040		
161	N 000137	. SPRING WASHER	008
	010205		
164	A 124 584	. GUIDE SIGN	-
	00 21	Replaced by: A 124 584 90 21	
164	A 124 584	. GUIDE SIGN	-
	90 21	Replaced by: A 124 584 58 17	
164	A 124 584	. GUIDE SIGN	001
	58 17	LIMITED-SLIP DIFFERENTIAL  [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
167	A 126 350	. VALVE	001
	00 90		
170	A 124 350	. GASKET KIT	-
	03 68	Replaced by: A 124 350 18 84  [414] THE OLD PART MUST NO LONGER BE INSTALLED	
170	A 124 350	. GASKET KIT	002
	18 84	O-RINGS  [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
176	A 124 350	. REPAIR KIT	-
	03 49	Replaced by: A 124 350 10 74	

176	A 124 350	REPAIR KIT	001
	10 74	REAR AXLE HOUSING WITH DIFFERENTIAL ☐ [023] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
176	A 124 350	REPAIR KIT	001
	06 74	REAR AXLE HOUSING WITH DIFFERENTIAL ☐ [024] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	
-----	A 124 350	REPAIR KIT	002
	02 68	AXLE SHAFT SEAL RING ☐ [023, 412] USED WITHOUT AUTOMATIC LOCKING DIFFERENTIAL (A S D)	
-----	A 124 350	REPAIR KIT	002
	01 74	AXLE SHAFT SEAL RING ☐ [024, 412] ONLY USED WITH AUTOMATIC LIMITED-SLIP DIFFERENTIAL (A S D)	